WINORA

AVEC CHAQUE FAMILLE DEPUIS PLUS DE 100 ANS.

EN TODAS LAS FAMILIAS DESDE HACE MÁS DE 100 AÑOS.

DEALERBOOK | MODELYEAR 2021 | FR / ES



DEALERBOOK

2021 | FR / ES

Let's move.

COLLECTION | COLECCIÓN 2021





DANS TOUTES LES FAMILLES.

En casa en todas las familias

L'histoire familiale devient la réalité de la marque.
Un petit événement sensationnel a fait de Winora une marque de tradition. Il y a près de 100 ans, Engelbert Wiener, son fondateur, n'a pas seulement créé une entreprise et fabriqué des vélos. Il a jeté les bases de quelque chose qui est aujourd'hui indispensable. En 1921, il fabrique de ses mains les premiers vélos enfants pour ses deux filles, Thea et Martha.

Une histoire d'innovation
Ce qui a rendu cette entreprise si exceptionnelle, c'est qu'à cette époque-là, il n'existait pas de vélos produits en série pour les enfants et les adolescents. Engelbert Wiener a été le premier à rendre ce moyen de locomotion accessible à toutes les générations. Il voulait que les autres puissent se déplacer comme lui et son frère, avec qui il a été sacré champion de sprint sur piste avec l'équipe allemande (constituée de 4 athlètes). Il souhaitait mettre cette expérience unique et la sensation d'indépendance qu'offre le vélo à la portée de tous.

Dans toutes les familles
C'est cette petite anecdote qui est au cœur de la réalité de notre marque. Notre credo est encore aujourd'hui de rentrer dans chaque foyer avec nos vélos. Peu importe qu'il s'agisse d'une famille nombreuse ou d'un couple, d'une famille nouvellement fondée, d'une famille recomposée ou simplement d'une bande d'amis. La famille est l'endroit où vous vous sentez chez vous avec votre vélo WINORA.

La historia de una familia se hace realidad en una marca
Una pequeña sensación hizo de WINORA una marca con tradición. Hace casi 100 años, el fundador, Engelbert Wiener, no solo comenzó una empresa y construyó bicicletas. Puso los cimientos para algo que es indispensable hoy en día. En 1921 construyó artesanalmente las primeras bicicletas para niños para sus dos hijas, Thea y Martha.

Una historia de innovación
Lo que lo hizo especial fue que en ese momento no había bicicletas estándar para niños y jóvenes. Engelbert Wiener fue el primero en hacer este tipo de movilidad accesible a todas las generaciones. Quería que otros pudieran moverse como él y su hermano, con quien había sido campeón de Alemania en pista por equipos. Quería poner a disposición de los demás esta experiencia única y la sensación de independencia que supone montar en bicicleta.

En casa en todas las familias
Esta pequeña anécdota es el corazón de la realidad de nuestra marca. Nuestra misión sigue siendo hoy en día estar en cada casa, con cada familia, con nuestras bicicletas. No importa si es una familia extensa o una pareja, recién fundada, reconstituida o simplemente entre amigos: la familia es donde tú te sientes en casa con tu bicicleta WINORA.

MRS 06
TRANSMISSION PAR COURROIE / TRANSMISIÓN POR CORREA 08
MOTEURS & ECRANS / MOTORES Y PANTALLAS 10

E-BIKES
Sinus 16
Tria 50
Yakun 64
Yucatan 68
Radius 86

ACCENTRY PRÉ-COMMANDE

RESERVAS

Application Accentry avec fonction Scanner de pré-commande.
Aplicación Accentry con escáner de reservas.

Il est vous possible de passer rapidement et facilement vos pré-commandes dans votre Centre de commandes Accentry. Lorsque vous commandez, les vélos vous sont immédiatement réservés, et la commande est traitée de manière fiable.

En nuestro nuevo Centro de pedidos Accentry puede realizar sus reservas de forma rápida y sencilla. Con su pedido, las bicicletas se reservan inmediatamente para usted y el el pedido se procesa de forma fiable.

Connectez-vous avec vos identifiants Accentry
Inicie sesión con los datos de acceso a Accentry

www.accentry.com



BIKES

TREKKING 90
Domingo 92
Vatoa 106

CITY 110
Talparo 112
Aruba 113
Flitzer 115
Holiday 118
Hollywood 121

ENFANTS ET ADOS / NIÑOS Y JÓVENES 122
Rage 124
Dash 129
Chica 132



CATÉGORIES DE VÉHICULES / CATEGORÍAS DE LOS VEHÍCULOS 137

GÉOMÉTRIES/GEOMETRÍAS 138

VÊTEMENT / ROPA 148

MRS
SYSTÈME DE RAIL MODULAIRE

Easy Plug & Play

NOTRE SYSTÈME DE RAIL MODULAIRE INTELLIGENT PERMET DE FIXER FACILEMENT DE NOMBREUX ACCESSOIRES AINSI QU'UNE BATTERIE SUPPLÉMENTAIRE AU VÉLO.

NUESTRO SISTEMA MODULAR DE RAÍLES INTELIGENTE PERMITE COLOCAR VARIOS ACCESORIOS, ASÍ COMO UN EXTENSOR DE RANGO ADICIONAL, EN LA BICICLETA.

MR-S05 / MR-S06
Kit de porte-bidon / Juego de bidón

XLC MRS TheBottle Set

- transparent, incl. l'adaptateur Fidlock
  transparente, incl. adaptador Fidlock

Art-Nr.

2502402000	600 ml
2502402001	450 ml
2502402003	650 ml

MR-S09

XLC MRS FidLock Rail

- noir, incl. la visserie de montage
  negro, incl. material de montaje

Art-Nr.
2502408000

MR-S07
Kit de sacoche de cadre / railbag juego de bolsa para el cuadro

XLC MRS Railbag

- Incl. la base Fidlock et l'adaptateur de rail
  incl. base Fidlock y adaptador de raíl

Art-Nr.

2502404000	S
2502404001	M
2502404002	L

MR-S10

XLC MRS Multimount

Art-Nr.
2502408001

D'autres produits MRS sont en cours de développement et seront prochainement disponibles. *Seguimos desarrollando más productos MRS que estarán disponibles más adelante..*





Autonomía Extender*

Parfaite pour les longues sorties : Une batterie PowerPack supplémentaire qui se monte en quelques étapes simples. Elle permet d'obtenir plus de puissance, avec une capacité totale de 1 125 Wh.

Perfecto para rutas largas: Se puede montar una batería PowerPack adicional en unos pocos pasos. Esto permite alcanzar un mayor rango con hasta 1125 Wh.

* Optional

Art-Nr.	**Autonomía Extender sans batterie** ***Extensor de rango sin batería***
3063050100	sans cylindre de verrouillage *sin cilindro de cerradura*
3063050200	avec cylindre de verrouillage MRS *con cilindro de cerradura MRS*
3063050300	bis 2018, MRS Schloss+ Intubezyl. gleichschließend *Until 2018, MRS lock + intube cyl., keyed alike*
3063050400	MRS Schloss+Intube Zyl+Raillock gleichschließend *MRS lock + intube cyl. +rail lock keyed alike*

RANGE EXTENDER READY

TRANSMISSION À COURROIE

Transmisión por correa

PAS DE BRUIT DE CLIQUETIS, PAS DE ROUILLE ET PAS DE CHAÎNE SALE QUI TÂCHE LES VÊTEMENTS.

NO HAY RUIDO DE TRAQUETEO, NO HAY ÓXIDO Y NO HAY SUCIEDAD EN LA CADENA QUE PUEDA MANCHAR LA ROPA.

PROFITEZ DES AVANTAGES QU'OFFRE UNE TRANSMISSION À COURROIE :

- peu d'entretien
- durable
- propre
- très silencieuse

DISFRUTA DE LAS VENTAJAS DE UNA TRANSMISIÓN POR CORREA:

- *bajo mantenimiento*
- *duradera*
- *libre de suciedad*
- *muy silenciosa*

MOTEURS/ ECRANS

MOTORES / PANTALLAS

2021

Le plaisir d'un pilotage dynamique.
Diversión dinámica garantizada.

BOSCH GEN 4

Héros de la gamme polyvalente

D'après le dicton, « Il faut s'arrêter quand on est top ». Nous voyons les choses différemment et préférons développer des vélos électriques avec des concepts intelligents qui vous permettent de prolonger votre plaisir de rouler en l'espace de quelques secondes. Avec nos nouveaux modèles Sinus iX et la dernière génération de moteur Bosch, vous pouvez commencer à tout moment, pour vos trajets quotidien ou pour le loisir, et bien sûr, vous n'avez pas à vous arrêter quand vous êtes au mieux de votre forme.

› En comparaison avec le Gen 2
25 % plus léger, 48 % plus petit et moins de résistance au pédalage

La nouvelle génération du moteur Performance Line CX est non seulement 25 % plus légère et 48 % plus petite, mais elle offre également un confort de pilotage naturel grâce à sa faible résistance au pédalage.

Héroe de rango versátil

"Uno debe parar cuando está en su mejor momento", es el dicho popular. Nosotros lo vemos de forma diferente y preferimos desarrollar e-bikes con conceptos inteligentes que amplían el placer de montar en bicicleta en cuestión de segundos. Con nuestros nuevos modelos Sinus IX y la última generación de Bosch, puedes ponerte en marcha en cualquier momento de tu vida cotidiana y tiempo libre, y por supuesto no tienes que parar cuando estés en tu mejor momento.

› Comparado con Gen 2
25 % más ligero, 48 % más pequeño y menos resistencia al pedaleo

La nueva generación del sistema Performance Line CX, no solo es un 25 % más ligera y un 48 % más pequeña, sino que también ofrece comodidad natural gracias a su baja resistencia al pedaleo.

BOSCH

Moteurs et Écrans / Motores y pantallas

NOUVEAU
NUEVA

PURION

Se concentrer sur l'essentiel : toutes les informations importantes à portée de clic.
Centrarse en lo esencial: toda la información importante con un clic.

- Aide à la marche Asistencia al caminar
- Vitesse Velocidad
- Capacité de la batterie Capacidad de la batería
- Nombre total de kilomètres Kilómetros totales
- 4 modes d'assistance 4 Modos de asistencia
- Nombre total de kilomètres Kilómetros diarios
- Portée Autonomía
- Affichage rétroéclairé Pantalla iluminada
- Aide à la marche Asistente al caminar

INTUVIA

Facile d'utilisation : avec Intuvia, contrôlez le vélo électrique de manière intuitive.
Fácil de usar: con Intuvia, la e-bike se puede controlar de forma intuitiva.

- Vitesse moyenne Velocidad media
- Vitesse maximale Velocidad máxima
- Durée quotidienne d'utilisation Tiempo de recorrido diario
- Heure Tiempo
- Port USB USB port

NYON

Le compagnon intelligent : offre tout ce qu'on peut rêver d'un vélo électrique.
Compañera inteligente: ofrece todo lo que un ebiker podría desear.

- 5 modes d'assistance 5 Modos de asistencia
- Recommandation de changement de vitesse Recomendación de cambio
- Indicateur de charge de la batterie Indicador de nivel de la batería
- Navigation Navegación
- Fitness Estado de forma
- Cadence Cadencia
- Nombre de calories brûlées Consumo de calorías
- Modifiez les modes de déplacement individuellement avec fonction Premium supplémentaire
- Modifica los modos de conducción individualmente con una función premium adicional
- Interface utilisateur personnalisée Interfaz de usuario personalizada
- Bluetooth®
- Compas Brújula

Pour des sorties dynamiques.
Para rutas dinámicas.

Pour des sorties décontractées.
Para rutas relajadas.

PERFORMANCE LINE CX

Plus de plaisir sur le terrain et dans les montées.
Más diversión llaneando y en ascensos.

- 2.9 kg
- 250 Watt 250W
- jusqu'à 85 Nm hasta 85Nm
- Vitesse d'assistance maximale 25km/h
  Velocidad máx. de asistencia 25km/h

PERFORMANCE LINE

Suffisamment puissant pour rouler en ville, sur les routes vallonnées et pour attaquer des côtes.
Suficiente potencia para la ciudad, en terrenos montañosos y en ascensos.

- 3.2 kg
- 250 Watt 250W
- jusqu'à 65 Nm hasta 65Nm
- Vitesse d'assistance maximale 25 km/h
  Velocidad máx. de asistencia 25km/h

ACTIVE LINE PLUS

Assistance optimisée pour une sortie ou une randonnée même en dehors de la ville.
Asistencia óptimamente dosificada para un viaje o rutas fuera de los límites de la ciudad.

- 3.2 kg
- 250 Watt 250W
- jusqu'à 50 Nm hasta 50Nm
- Vitesse d'assistance maximale 25 km/h
  Velocidad máx. de asistencia 25km/h

ACTIVE LINE

Puissance modérée pour des trajets quotidiens et sur de courtes distances.
Potencia dosificada moderadamente para una vida diaria relajada y rutas más pequeñas.

- 2.9 kg
- 250 Watt 250W
- jusqu'à 40 Nm hasta 40Nm
- Vitesse d'assistance maximale 25 km/h
  Velocidad máx. de asistencia 25 km/h

VÉLOS ÉLECTRIQUES AVEC SYSTÈME BOSCH
E-BIKES CON BOSCH

Sinus

PERFORMANCE LINE CX

Sinus iX12 P. 18

Sinus iX10 P. 21

PERFORMANCE LINE

NOUVEAU Sinus R380 auto P. 25

NOUVEAU Sinus 9 P. 39

NOUVEAU Sinus N5/f P. 42

ACTIVE LINE PLUS

NOUVEAU Sinus R8/f P. 26

NOUVEAU Sinus iR8/f P 32

NOUVEAU Sinus iN8/f P. 44

ACTIVE LINE

NOUVEAU Sinus iN7/f P. 47

Tria

PERFORMANCE LINE

Tria 10 P. 52

ACTIVE LINE PLUS

Tria 9 P. 55

Tria 8 P. 58

Tria N8/f P. 59

Tria N7/f P. 61

ACTIVE LINE

Tria N7 eco P. 63

YAMAHA

Moteurs et Écrans / Motores y pantallas

SIDE SWITCH

Conçue pour de nombreuses applications : simple et facile d'utilisation. Bonne lisibilité même dans des conditions (météo) difficiles.
Diseñado para muchas aplicaciones: Sencillo y fácil de usar. Buena legibilidad en condiciones (climáticas) difíciles.

- 4 Modes d'assistance 4 Modos de asistencia
- Aide à la marche Asistencia al caminar
- Vitesse Velocidad
- Capacité de la batterie Capacidad de la batería
- Mode d'assistance Modo de asistencia
- Nombre total de kilomètres Cuentakilómetros
- Compteur de trajets Cuentakilómetros parcial
- Portée Autonomía
- Affichage rétroéclairé Pantalla iluminada

+

MULTI SWITCH

Un plaisir inégalé Le grand écran couleur donne accès, en un clin d'œil à tous les données importantes.
La diversión del ciclismo llevada a un nuevo nivel. La amplia pantalla en color proporciona todos los datos decisivos de un vistazo.

- 4+ Modes d'assistance 4+ Modos de asistencia
- Vitesse moyenne Velocidad media
- Vitesse maximale Velocidad máxima
- Indicateur de puissance de l'assistance Medidor de potencia de asistencia
- Capacité de la batterie (%) Capacidad de la batería
- Heure Tiempo
- Fitness › Estado de forma
- Cadence Cadencia
- Nombre de calories brûlées Consumo de calorías
- Navigation : Tour à tour Navegación: Giro a giro
- Bluetooth®
- Compas Brújula

La bonne assistance pour tous.
La asistencia adecuada para todos.

PW-X2

Moteur silencieux mais puissant, pour les sorties exigeantes.
Motor silencioso pero potente para rutas desafiantes.

› 3.1 kg
› 250 Watt 250 W
› jusqu'à 80 Nm hasta 80Nm
› Assistance maximale de 25 km/h
Velocidad máx. de asistencia 25 km/h

PW-ST

Souple et puissante pour des trajets quotidiens en ville ou de jolies randonnées.
Suave y potente para la vida diario en la ciudad o rutas emocionantes.

› 3.5 kg / 3.4 kg
› 250 Watt 250W
› jusqu'à 70 Nm hasta 70Nm
› Assistance maximale de 25 km/h
Velocidad máx. de asistencia 25 km/h

PW-TE

Le moteur idéal en ville, offrant confort et stabilité de pilotage.
Con comodidad y estabilidad de conducción, el motor perfecto en la ciudad.

› 3.4 kg
› 250 Watt 250W
› jusqu'à 60 Nm hasta 60Nm
› Assistance maximale de 25 km/h
Velocidad máx. de asistencia 25 km/h

VÉLOS ÉLECTRIQUES AVEC SYSTÈME YAMAHA
E-BIKES CON YAMAHA

Yakun Tour

PW-X2

Yakun Tour P. 66

Yucatan

PW-ST

NOUVEAU Yucatan 12 Pro P. 70

NOUVEAU Yucatan 12 P. 73

NOUVEAU Yucatan 10 P. 76

NOUVEAU Yucatan 9 P. 79

PW-TE

NOUVEAU Yucatan 8 P. 82

NOUVEAU Yucatan R8f P. 85

Radius

PW-ST

NOUVEAU Radius Tour P. 89

SINUS

L'avenir s'écrit avec un « e »

L'avenir s'écrit avec un « e ». Selon l'Agence fédérale allemande pour l'environnement*, 82 % des émissions de CO2 sont actuellement causées par notre mobilité quotidienne. Quand une voiture émet 472 kg de CO2 lorsqu'elle parcourt un peu moins de dix kilomètres en environnement urbain, les vélos électriques n'en émettent que 13 kg. Donc, surtout en ville, tout plaide en faveur du passage au vélo. Prenons l'exemple de nos nouveaux modèles SINUS. Avec leur batterie Intube intégrée, les vélos SINUS sont non seulement bons pour l'environnement et extrêmement confortables, mais ils sont aussi très esthétiques.

Añádele una "e" al futuro

Añádele una "e" al futuro. Según la Agencia Federal Alemana del Medio Ambiente, el 82 por ciento de las emisiones de CO2 son causadas actualmente por nuestra movilidad diaria. Mientras un coche emite 472 kg de CO2 cuando viaja poco menos de diez kilómetros en un entorno urbano, la cifra para las e-bikes es de solo 13 kg. Así que, especialmente en la ciudad, todo habla a favor de cambiar a la bicicleta. Por ejemplo, nuestros nuevos modelos SINUS con baterías Intube integradas, que garantizan que las e-bikes SINUS, no solo son buenos para el medio ambiente y extremaWomente cómodas, sino también resultan atractivas por su diseño.*

* www.mein-klimaschutz.de

SINUS

Sinus iX12 Men

metallic sand matte

SPECIFICATIONS

EUR 3.499,- | CHF 3.999,- | PLN 15.899,- | CZK 94.499,- | HRK 26.799,-

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano M7100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano Deore XT T8000, aluminium
Brake front	Shimano Deore XT T8000, hydraulic disc brake, 180mm
Brake rear	Shimano Deore XT T8000, hydraulic disc brake, 160mm
Tyres	Schwalbe Smart Sam, 57-584, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	Shimano MT400-B
Rear wheel hub	Shimano MT500
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR8 E, 50 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.1kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	48	4442001048	metallic sand matte
27.5"	52	4442001052	metallic sand matte
27.5"	56	4442001056	metallic sand matte
27.5"	60	4442001060	metallic sand matte

SINUS

Sinus iX12 Women

metallic sand matte

SPECIFICATIONS

EUR 3.499,- | CHF 3.999,- | PLN 15.899,- | CZK 94.499,- | HRK 26.799,-

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano M7100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano Deore XT T8000, aluminium
Brake front	Shimano Deore XT T8000, hydraulic disc brake, 180mm
Brake rear	Shimano Deore XT T8000, hydraulic disc brake, 160mm
Tyres	Schwalbe Smart Sam, 57-584, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	Shimano MT400-B
Rear wheel hub	Shimano MT500
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR8 E, 50 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.1kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	44	4442011044	metallic sand matte
27.5"	48	4442011048	metallic sand matte
27.5"	52	4442011052	metallic sand matte

SINUS

Sinus iX12 Monotube

metallic sand matte

SPECIFICATIONS

EUR 3.499,- | CHF 3.999,- | PLN 15.899,- | CZK 94.499,- | HRK 26.799,-

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano M7100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano Deore XT T8000, aluminium
Brake front	Shimano Deore XT T8000, hydraulic disc brake, 180mm
Brake rear	Shimano Deore XT T8000, hydraulic disc brake, 160mm
Tyres	Schwalbe Smart Sam, 57-584, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	Shimano MT400-B
Rear wheel hub	Shimano MT500
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR8 E, 50 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.1kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	4442021046	metallic sand matte
27.5"	50	4442021050	metallic sand matte
27.5"	54	4442021054	metallic sand matte

SINUS

Sinus iX10 Men

concrete

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M6000, 10-speed
Shift lever	Shimano Deore M6000, rapidfire
Sprocket	Shimano HG500, 11-42 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	48	4441001048	concrete
27.5"	52	4441001052	concrete
27.5"	56	4441001056	concrete
27.5"	60	4441001060	concrete

SINUS

Sinus iX10 Women

concrete

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M6000, 10-speed
Shift lever	Shimano Deore M6000, rapidfire
Sprocket	Shimano HG500, 11-42 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	44	4441011044	concrete
27.5"	48	4441011048	concrete
27.5"	52	4441011052	concrete

SINUS

Sinus iX10 Monotube

concrete

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Performance CX GEN4, 250W, 85Nm, 25km/h
Display	Bosch Purion
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M6000, 10-speed
Shift lever	Shimano Deore M6000, rapidfire
Sprocket	Shimano HG500, 11-42 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	Eurofender Winora schwarz matt, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	24.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	4441021046	concrete
27.5"	50	4441021050	concrete
27.5"	54	4441021054	concrete

WINORA

FOCUS E-BIKE DESIGN & INNOVATION AWARD 2020

PLATZ 1
KATEGORIE: TREKKING

Winora
Sinus iX10

28 E-Bikes in der Kategorie Trekking

FOCUS E-BIKE Magazin 01-2020

Nuestra mejor e-bike de trekking *

Notre meilleur vélo électrique Trekking.*

Let's move.

MRS!
500 + 500 Wh =
1000 Wh
capacité max
capacidad máxima

BOSCH GEN 4!

SINUS IX10

GEN 4!

* Il a été élu meilleur vélo électrique Trekking d'après un sondage lecteur Focus Design & Innovation Award 2020
La mejor e-bike de trekking de acuerdo con la encuesta de lectores de Focus Design & Innovation Award 2020

SINUS

Sinus R380 auto Monotube

pinegreen matt

2 EN17406

SPECIFICATIONS

EUR 4.599,- | CHF 4.999,- | PLN 20.799,- | CZK 124.299,- | HRK 34.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Nyon
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX EB-DLO-CTS, steel spring, Travel: 63mm, aluminium steerer tube 11/8" - 11/2" tapered
Rear derailleur	Enviolo TR /
Shift lever	Enviolo automatic, wireless, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano XT T8100, aluminium
Brake front	Shimano XT M8100, aluminium, 180mm
Brake rear	Shimano XT M8100, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Enviolo TR
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	Cane Creek Viscoset
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Lumotec IQ-X E, 150 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	44060146	pinegreen matt
27.5"	50	44060150	pinegreen matt
27.5"	54	44060154	pinegreen matt

SINUS

Sinus R8 Men

shadowgreen

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm, coaster brake
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	48	44054148	shadowgreen
27.5"	52	44054152	shadowgreen
27.5"	56	44054156	shadowgreen
27.5"	60	44054160	shadowgreen

SINUS

Sinus R8f Men

shadowgreen

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	48	44044148	shadowgreen
27.5"	52	44044152	shadowgreen
27.5"	56	44044156	shadowgreen
27.5"	60	44044160	shadowgreen

SINUS

Sinus R8 Women

shadowgreen

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm, coaster brake
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	44	44056144	shadowgreen
27.5"	48	44056148	shadowgreen
27.5"	52	44056152	shadowgreen

SINUS

Sinus R8f Women

shadowgreen

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	44	44048144	shadowgreen
27.5"	48	44048148	shadowgreen
27.5"	52	44048152	shadowgreen

SINUS

Sinus R8 Monotube

shadowgreen

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm, coaster brake
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	44058146	shadowgreen
27.5"	50	44058150	shadowgreen
27.5"	54	44058154	shadowgreen

SINUS

Sinus R8f Monotube

shadowgreen

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	44050146	shadowgreen
27.5"	50	44050150	shadowgreen
27.5"	54	44050154	shadowgreen

SINUS

Sinus iR8 Men

onyx black

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm, coaster brake
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	48	4437008948	onyx black
28"	52	4437008952	onyx black
28"	56	4437008956	onyx black
28"	60	4437008960	onyx black

SINUS

Sinus iR8f Men

onyx black

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	48	4438008948	onyx black
28"	52	4438008952	onyx black
28"	56	4438008956	onyx black
28"	60	4438008960	onyx black

SINUS

Sinus iR8 Women

onyx black

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm, coaster brake
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	44	4437108944	onyx black
28"	48	4437108948	onyx black
28"	52	4437108952	onyx black

SINUS

Sinus iR8f Women

onyx black

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	44	4438108944	onyx black
28"	48	4438108948	onyx black
28"	52	4438108952	onyx black

SINUS

Sinus iR8 Monotube

onyx black

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm, coaster brake
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

COLOR VARIANT

modern blue matt

ORDER NUMBER

28"	46	4437508946	onyx black
28"	50	4437508950	onyx black
28"	54	4437508954	onyx black
28"	46	4437908946	modern blue matt
28"	50	4437908950	modern blue matt
28"	54	4437908954	modern blue matt

SINUS

Sinus iR8f Monotube

modern blue matt

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano M445, 160mm
Brake rear	Shimano M445, 160mm
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170104
Weight	25.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

COLOR VARIANT

onyx black

ORDER NUMBER

28"	46	4438908946	modern blue matt
28"	50	4438908950	modern blue matt
28"	54	4438908954	modern blue matt
28"	46	4438508946	onyx black
28"	50	4438508950	onyx black
28"	54	4438508954	onyx black

German Design Award

Sinus i-Serie

« L'intégration de la batterie et du moteur au cadre témoigne du haut niveau de conception. Un design élégant, dynamique et moderne, complété par des détails astucieux »

"La integración de la batería y el motor en el cuadro es una prueba de un alto nivel de diseño. Un diseño elegante con aspecto dinámico y moderno, rematado con detalles ingeniosamente diseñados"

(Jury German Design Award 2019)

SINUS

Sinus 9 Men

darkslategrey matt

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio M3100, 9-speed
Shift lever	Shimano Alivio M3100, trigger switch
Sprocket	Shimano HG200, 11-36 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	48	44088148	darkslategrey matt
27.5"	52	44088152	darkslategrey matt
27.5"	56	44088156	darkslategrey matt
27.5"	60	44088160	darkslategrey matt

SINUS

Sinus 9 Women

darkslategrey matt

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio M3100, 9-speed
Shift lever	Shimano Alivio M3100, trigger switch
Sprocket	Shimano HG200, 11-36 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	44	44090144	darkslategrey matt
27.5"	48	44090148	darkslategrey matt
27.5"	52	44090152	darkslategrey matt

SINUS

Sinus 9 Monotube

darkslategrey matt

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio M3100, 9-speed
Shift lever	Shimano Alivio M3100, trigger switch
Sprocket	Shimano HG200, 11-36 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

COLOR VARIANT

linenwhite

ORDER NUMBER

27.5"	46	44092146	darkslategrey matt
27.5"	50	44092150	darkslategrey matt
27.5"	54	44092154	darkslategrey matt
27.5"	46	44094146	linenwhite
27.5"	50	44094150	linenwhite
27.5"	54	44094154	linenwhite

SINUS

Sinus N5 Monotube

maroonred matt

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 5-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Shimano pinion, 27 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm, coaster brake
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	Cane Creek Viscoset
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	44072146	maroonred matt
27.5"	50	44072150	maroonred matt
27.5"	54	44072154	maroonred matt

SINUS

Sinus N5f Monotube

maroonred matt

SPECIFICATIONS

EUR 3.399,- | CHF 3.799,- | PLN 15.399,- | CZK 91.999,- | HRK 25.899,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 625Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 5-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Shimano pinion, 27 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	Cane Creek Viscoset
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

625 Wh | BOSCH | 27,5" | MRS | RANGE EXTENDER READY* | StVZO

ORDER NUMBER

27.5"	46	44070146	maroonred matt
27.5"	50	44070150	maroonred matt
27.5"	54	44070154	maroonred matt

SINUS

Sinus iN8 Monotube

moon grey

SPECIFICATIONS

EUR 2.799,- | CHF 3.299,- | PLN 12.699,- | CZK 75.999,- | HRK 21.399,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11, coaster brake
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	26.6kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh **BOSCH** **26+28“** **StVZO**

COLOR VARIANT

white

ORDER NUMBER

26"	46	4435008946	moon grey
28"	46	4435208946	moon grey
28"	50	4435208950	moon grey
28"	54	4435208954	moon grey
26"	46	4435408946	white
28"	46	4435608946	white
28"	50	4435608950	white
28"	54	4435608954	white

SINUS

Sinus iN8f Monotube

moon grey

SPECIFICATIONS

EUR 2.799,- | CHF 3.299,- | PLN 12.699,- | CZK 75.999,- | HRK 21.399,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11
Tyres	Schwalbe Marathon, 47-622, puncture protection, reflex / Schwalbe Marathon, 47-559, puncture protection, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	26.6kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh **BOSCH** **28”** **StVZO**

COLOR VARIANT

white

ORDER NUMBER

28"	46	4436208946	moon grey
28"	50	4436208950	moon grey
28"	54	4436208954	moon grey
28"	46	4436508946	white
28"	50	4436508950	white
28"	54	4436508954	white

WINORA

FOCUS E-BIKE DESIGN & INNOVATION AWARD 2020
PLATZ 1
KATEGORIE: CITY
Winora Sinus iN8
20 E-Bikes in der Kategorie City
FOCUS E-BIKE Magazin 01-2020

Nuestra mejor e-bike de ciudad *

Notre meilleur vélo électrique de ville.*
Let's move.

SINUS IN8

* Il a été élu meilleur vélo électrique de ville d'après un sondage lecteur Focus Design & Innovation Award 2020
La mejor e-bike de ciudad de acuerdo con la encuesta de lectores de Focus Design & Innovation Award 2020

SINUS

Sinus iN7 Monotube

black matt

2 EN17406

SPECIFICATIONS

EUR 2.599,- | CHF 2.899,- | PLN 11.799,- | CZK 70.199,- | HRK 19.999,-

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11, coaster brake
Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	25.7kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 26+28" | StVZO

ORDER NUMBER

26"	46	4433007946	black matt
28"	46	4433207946	black matt
28"	50	4433207950	black matt
28"	54	4433207954	black matt

SINUS

Sinus iN7f Monotube

black matt

SPECIFICATIONS

EUR 2.599,- | CHF 2.899,- | PLN 11.799,- | CZK 70.199,- | HRK 19.999,-

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerTube 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, V-brake
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	25.7kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	46	4434207946	black matt
28"	50	4434207950	black matt
28"	54	4434207954	black matt

TRIA

Veuillez-vous asseoir

Veuillez-vous asseoir. L'empreinte CO2 des vélos électriques doit également tenir compte des émissions qui se produisent lors de lea production et l'élimination de la batterie. La bonne nouvelle est qu'elles sont déjà moindre après avoir parcouru une centaine de kilomètres en vélo électrique au lieu d'une voiture*. Et si le vélo est aussi confortable et pratique que nos modèles SINUS TRIA avec un cadre bas, une position assise droite et un frein à rétropédalage, même le vent de face et les montées ne sont plus un problème.

Toma asiento

Toma asiento. La huella de CO2 de las e-bikes también debe tener en cuenta las emisiones que se producen durante la producción y eliminación de la batería. La buena noticia es que ya están descargadas después de recorrer unos 100 kilómetros con la bicicleta eléctrica, a diferencia de un coche. Y, si la bicicleta es tan cómoda como nuestros modelos SINUS TRIA con barra en posición baja, posición de sillín vertical y freno de contrapedal, ni el viento de frente ni las subidas suponen ningún problema.*

* www.mein-klimaschutz.de

TRIA

Tria 10 Men

graphite

SPECIFICATIONS

EUR 2.699,- | CHF 2.999,- | PLN 12.199,- | CZK 72.899,- | HRK 20.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore T6000, 10-speed
Shift lever	Shimano Deore T6000, rapidfire
Sprocket	Shimano HG50, 11-36 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Delta Cruiser Plus, 47-622, puncture protection
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	aluminium hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime Tria, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	25.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	48	4428010048	graphite
28"	52	4428010052	graphite
28"	56	4428010056	graphite
28"	60	4428010060	graphite

TRIA

Tria 10 Women

graphite

SPECIFICATIONS

EUR 2.699,- | CHF 2.999,- | PLN 12.199,- | CZK 72.899,- | HRK 20.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore T6000, 10-speed
Shift lever	Shimano Deore T6000, rapidfire
Sprocket	Shimano HG50, 11-36 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Delta Cruiser Plus, 47-622, puncture protection
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	aluminium hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime Tria, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	25.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	44	4428110044	graphite
28"	48	4428110048	graphite
28"	52	4428110052	graphite
28"	56	4428110056	graphite

TRIA

Tria 10 Monotube

graphite

SPECIFICATIONS

EUR 2.699,- | CHF 2.999,- | PLN 12.199,- | CZK 72.899,- | HRK 20.999,-

Motor	Bosch Performance Line, 250W, 65Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore T6000, 10-speed
Shift lever	Shimano Deore T6000, rapidfire
Sprocket	Shimano HG50, 11-36 teeth
Chain	KMC e10S
Brake lever	Shimano MT401-3, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Delta Cruiser Plus, 47-622, puncture protection
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	aluminium hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime Tria, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	25.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	46	4428710046	graphite
28"	50	4428710050	graphite
28"	54	4428710054	graphite

TRIA

Tria 9 Men

black matt

SPECIFICATIONS

EUR 2.499,- | CHF 2.799,- | PLN 11.299,- | CZK 67.499,- | HRK 19.199,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio T4000, 9-speed
Shift lever	Shimano Altus M2000, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	23.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

ORDER NUMBER

28"	48	4424009948	black matt
28"	52	4424009952	black matt
28"	56	4424009956	black matt
28"	60	4424009960	black matt

TRIA

Tria 9 Women

glaze red

SPECIFICATIONS

EUR 2.499,- | CHF 2.799,- | PLN 11.299,- | CZK 67.499,- | HRK 19.199,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio T4000, 9-speed
Shift lever	Shimano Altus M2000, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	23.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

COLOR VARIANT

black matt

ORDER NUMBER

28"	44	4425109944	glaze red
28"	48	4425109948	glaze red
28"	52	4425109952	glaze red
28"	44	4424109944	black matt
28"	48	4424109948	black matt
28"	52	4424109952	black matt

TRIA

Tria 9 Monotube

28" 26"

glaze red

SPECIFICATIONS

EUR 2.499,- | CHF 2.799,- | PLN 11.299,- | CZK 67.499,- | HRK 19.199,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Alivio T4000, 9-speed
Shift lever	Shimano Altus M2000, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	23.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 26+28" | StVZO

COLOR VARIANT

black matt

ORDER NUMBER

26"	46	4425309946	glaze red
28"	46	4425509946	glaze red
28"	50	4425509950	glaze red
28"	54	4425509954	glaze red
26"	46	4424309946	black matt
28"	46	4424509946	black matt
28"	50	4424509950	black matt
28"	54	4424509954	black matt

TRIA

Tria 8 Monotube

28" 26"

dullgray matt

SPECIFICATIONS

EUR 2.299,- | CHF 2.599,- | PLN 10.499,- | CZK 62.199,- | HRK 17.599,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 400Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Acera M360, 8-speed
Shift lever	Shimano Altus M310, rapidfire
Sprocket	SunRace CSM55, 11-34 teeth
Chain	KMC X8
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex / Schwalbe Road Cruiser, 47-559, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Bassano Volare City XL
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170018
Weight	23.6kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh **BOSCH** **26+28“** **StVZO**

COLOR VARIANT

sandstone

ORDER NUMBER

26"	46	4422308946	dullgray matt
28"	46	4422508946	dullgray matt
28"	50	4422508950	dullgray matt
28"	54	4422508954	dullgray matt
26"	46	4423308946	sandstone
28"	46	4423508946	sandstone
28"	50	4423508950	sandstone
28"	54	4423508954	sandstone

TRIA

Tria N8 Monotube

28" 26"

oliv

SPECIFICATIONS

EUR 2.599,- | CHF 2.899,- | PLN 11.799,- | CZK 70.199,- | HRK 19.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11, coaster brake
Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170086
Weight	25.6kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh **BOSCH** **26+28“** **StVZO**

COLOR VARIANT

black matt

ORDER NUMBER

26"	46	4417408046	oliv
28"	46	4417508046	oliv
28"	50	4417508050	oliv
28"	54	4417508054	oliv
26"	46	4417108846	black matt
28"	46	4417308846	black matt
28"	50	4417308850	black matt
28"	54	4417308854	black matt

TRIA

Tria N8f Monotube

oliv

SPECIFICATIONS

EUR 2.599,- | CHF 2.899,- | PLN 11.799,- | CZK 70.199,- | HRK 19.899,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 500Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11
Tyres	Schwalbe Road Cruiser, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	25.6kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | BOSCH | 28" | StVZO

COLOR VARIANT

black matt

ORDER NUMBER

28"	46	4418508046	oliv
28"	50	4418508050	oliv
28"	54	4418508054	oliv
28"	46	4418108846	black matt
28"	46	4418308846	black matt
28"	50	4418308850	black matt
28"	54	4418308854	black matt

TRIA

Tria N7 Monotube

28" 26"

midnight blue

SPECIFICATIONS

EUR 2.399,- | CHF 2.699,- | PLN 10.999,- | CZK 64.799,- | HRK 18.399,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 400Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11, coaster brake
Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170086
Weight	24.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh | BOSCH | 26+28" | StVZO

COLOR VARIANT

white

ORDER NUMBER

26"	46	4412107046	midnight blue
28"	46	4412307046	midnight blue
28"	50	4412307050	midnight blue
28"	54	4412307054	midnight blue
26"	46	4412707846	white
28"	46	4412907846	white
28"	50	4412907850	white
28"	54	4412907854	white

TRIA

Tria N7f Monotube

midnight blue

SPECIFICATIONS

EUR 2.399,- | CHF 2.699,- | PLN 10.999,- | CZK 64.799,- | HRK 18.399,-

Motor	Bosch Active Plus, 250W, 50Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 400Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Weight	24.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh **BOSCH** **28"** **StVZO**

COLOR VARIANT

white

ORDER NUMBER

28"	46	4414307046	midnight blue
28"	50	4414307050	midnight blue
28"	54	4414307054	midnight blue
28"	46	4414907046	white
28"	50	4414907050	white
28"	54	4414907054	white

TRIA

Tria N7 eco Monotube

28" 26"

burgundy red matte

SPECIFICATIONS

EUR 2.199,- | CHF 2.399,- | PLN 9.999,- | CZK 59.499,- | HRK 16.799,-

Motor	Bosch Active, 250W, 40Nm, 25km/h
Display	Bosch Intuvia
Battery	Bosch PowerPack 400Wh
Charger	Bosch Standard Charger 4A
Frame	aluminium 6061
Fork	SR Suntour NEX E25, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Magura HS11
Brake front	Magura HS11
Brake rear	Magura HS11, coaster brake
Tyres	Schwalbe Road Cruiser, 47-559, reflex / Schwalbe Road Cruiser, 42-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller Upp, 30 lux
Rear light	AXA Blueline
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170086
Weight	24.4kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh **BOSCH** **26+28"** **StVZO**

COLOR VARIANT

onyx black

ORDER NUMBER

26"	46	4410707046	burgundy red matte
28"	46	4410907046	burgundy red matte
28"	50	4410907050	burgundy red matte
28"	54	4410907054	burgundy red matte
26"	46	4410107846	onyx black
28"	46	4410307846	onyx black
28"	50	4410307850	onyx black
28"	54	4410307854	onyx black

YAKUN

Prêt pour la ville, la campagne et le bord de la rivière

Prêt pour toutes les catégories Sur des pneus larges de 27,5", pour traverser les champs ou se rendre au travail en un rien de temps : les vélos électriques sont non seulement bons pour l'environnement, mais aussi le moyen de transport le plus rapide, surtout sur de courtes distances allant jusqu'à 10 km. Et le meilleur : pas besoin de chercher une place pour se garer. Les nouveaux modèles Yakun offrent un équilibre optimal entre la maniabilité et les caractéristiques de roulage sur toutes les surfaces. De plus, leur puissant moteur Yamaha déploie toute sa puissance surtout au démarrage et dans les montées.

Lista para la ciudad, el campo y los arroyos

Lista para todas las categorías. Con cubiertas anchas 27,5 pulgadas para XC o para llegar rápiWomente al trabajo: las e-bikes no solo son buenas para el medio ambiente, sino también el medio de transporte más rápido, especialmente en distancias cortas de hasta 10 km. Y lo mejor es que no hay necesidad de buscar una plaza de aparcamiento. Los nuevos modelos Yakun ofrecen un equilibrio óptimo de maniobrabilidad y características de rodadura para cada terreno. Y su potente motor Yamaha despliega su fuerza especialmente al arrancar y subiendo.



YAKUN

Yakun tour Unisex

150 kg
*Poids total autorisé
*Peso total permitido

gunmetal /black

SPECIFICATIONS

EUR 3.499,- | CHF 3.999,- | PLN 15.899,- | CZK 94.499,- | HRK 26.999,-

Motor	Yamaha PW-X2, 250W, 80Nm, 25km/h
Display	Yamaha Side Switch
Battery	Yamaha Lithium Ion 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, Gravity Casting, hydroformed, thru-axle M12 (1.75) x 142mm
Fork	SR Suntour Mobie E45 LOR Lockout, air, Travel: 80mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Rear derailleur	/ Shimano Deore XT T8000, 20-speed
Shift lever	Shimano Deore M6000, rapidfire
Sprocket	Shimano HG50, 11-36 teeth
Chain	KMC e10S
Brake lever	Magura MT4
Brake front	Magura MT4, 180mm
Brake rear	Magura MT4, 180mm
Tyres	Schwalbe Marathon Almotion, 55-584, puncture protection, reflex
Rims	Rodi Black Rock 23, double-walled rim, aluminium
Front wheel hub	alu disc, thru-axle 15x100
Rear wheel hub	aluminium disc, thru-axle 12x142
Spokes	Stainless spokes, black
Handlebar	Ergoriser, oversize 720mm
Grips	retro stitched
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Winora Yukon, embossed
Seat post	by.schulz G.2, patent suspension, 31.6mm
Pedals	VP 469, non-slip
Headlight	Busch & Müller Lumotec IQ-X E, 150 lux
Rear light	P&W LED mini
Dynamo	via system battery
Carrier	Winora, XLC Carrymore
Fenders	double wall, aluminium
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170090
Weight	24.1kg
Permitted total weight	150kg
Bicycle type	City, Trekking, Cross

500Wh **YAMAHA** **27,5"** **StVZO** **150kg***

ORDER NUMBER

27.5"	43	4532020043	gunmetal /black
27.5"	48	4532020048	gunmetal /black
27.5"	53	4532020053	gunmetal /black
27.5"	58	4532020058	gunmetal /black

WINORA

Yakun Tour: nuestra ganadora de premios

Yakun Tour, notre vélo primé

PLUS X AWARD
2020 | Ausgezeichnet für:
Innovation
High Quality
Design
Bedienkomfort
www.plusxaward.de

2020
PLUS X AWARD
Haute qualité, design, facile à utilise et fonctionnel

2020
PLUS X AWARD
Alta calidad, diseño, facilidad de uso y funcionalidad

TESTSIEGER 2018 Elektrobike

2018 e-Elektrobike:
Conseil d'achat et gagnant du test Résultat du test : Excellent

2018 e-Elektrobike:
Consejo de compra y ganadora de la prueba Radet: excelente

Mit Empfehlung Elektro Rad Dauertest bestanden 2018

Test d'endurance 2018 ElektroRad :
Recommandation claire

2018 Prueba de resistencia ElektroRad:
recomendación clara

Elektro Rad SEHR GUT 1/2018

2018 ElektroRad Test:
Test : « Excellent » avec une note globale de 1,5

2018 Prueba de ElektroRad:
Prueba: "Excelente" con una nota general de 1,5

YUCATAN

L'appel des montagnes

Les montagnes nous font signe. Partout dans le monde, les gens se déplacent de la campagne à la ville. Pour la première fois dans l'histoire, plus de la moitié de la population mondiale vit désormais en ville. L'espace devient limité, les espaces verts se font rares. Quiconque recherche la nature, les montagnes, les lacs, les bois et les prairies, bref :les grands espaces, doit sortir de la ville. Quitter la ville et plonger dans le plaisir. Les vélos électriques Trekking de la série YUCATAN avec moteur Yamaha et un porte-bagages pour tout ce dont vous avez besoin pour un long voyage sont parfaits pour vous accompagner dans votre virée.

Ahora, te atraerán las montañas

Las montañas te están llamando. En todo el mundo la gente se traslada del campo a la ciudad. Por primera vez en la historia, más de la mitad de la población mundial vive en ciudades. El espacio se está volviendo limitado, la vegetación escasea. Cualquiera que busque lo salvaje, montañas, lagos, bosques y prados, en resumen: los amplios espacios abiertos, debe salir fuera de la ciudad para disfrutar. Las e-bikes de trekking de la serie YUCATAN con motor Yamaha y un portabultos para todo lo que necesita en un largo viaje son perfectos para viajar.

YUCATAN

Yucatan 12 Pro Men

black matt

SPECIFICATIONS

EUR 3.599,- | CHF 3.999,- | PLN 16.199,- | CZK 97.199,- | HRK 27.499,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano XT T8100, aluminium
Brake front	Shimano Deore XT M8120, 180mm
Brake rear	Shimano Deore XT M8120, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	telescope, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller IQ-XS, 70 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | SHIMANO

ORDER NUMBER

27.5"	48	44121148	black matt
27.5"	52	44121152	black matt
27.5"	56	44121156	black matt
27.5"	60	44121160	black matt

YUCATAN

Yucatan 12 Pro Women

black matt

SPECIFICATIONS

EUR 3.599,- | CHF 3.999,- | PLN 16.199,- | CZK 97.199,- | HRK 27.499,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano XT T8100, aluminium
Brake front	Shimano Deore XT M8120, 180mm
Brake rear	Shimano Deore XT M8120, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	telescope, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller IQ-XS, 70 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | SHIMANO

ORDER NUMBER

27.5"	44	44122144	black matt
27.5"	48	44122148	black matt
27.5"	52	44122152	black matt

YUCATAN

Yucatan 12 Pro Monotube

black matt

SPECIFICATIONS

EUR 3.599,- | CHF 3.999,- | PLN 16.199,- | CZK 97.199,- | HRK 27.499,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Multi Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour Mobie 25 LOR, air, Travel: 75mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered, thru-axle
Rear derailleur	/ Shimano Deore XT M8100 Shadow Plus, 12-speed
Shift lever	Shimano Deore XT M8100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano SLX M7100
Brake lever	Shimano XT T8100, aluminium
Brake front	Shimano Deore XT M8120, 180mm
Brake rear	Shimano Deore XT M8120, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	telescope, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Busch & Müller IQ-XS, 70 lux
Rear light	Busch & Müller Shine Evo, integrated in the luggage carrier
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | SHIMANO

ORDER NUMBER

27.5"	46	44123146	black matt
27.5"	50	44123150	black matt
27.5"	54	44123154	black matt

YUCATAN

Yucatan 12 Men

winterwhite

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore M6100, 12-speed
Shift lever	Shimano Deore M6100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano CN-M6100
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | SHIMANO

ORDER NUMBER

27.5"	48	44098148	winterwhite
27.5"	52	44098152	winterwhite
27.5"	56	44098156	winterwhite
27.5"	60	44098160	winterwhite

Yucatan 12 Women

winterwhite

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore M6100, 12-speed
Shift lever	Shimano Deore M6100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano CN-M6100
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | SHIMANO

ORDER NUMBER

27.5"	44	44100144	winterwhite
27.5"	48	44100148	winterwhite
27.5"	52	44100152	winterwhite

Yucatan 12 Monotube

winterwhite

SPECIFICATIONS

EUR 2.999,- | CHF 3.299,- | PLN 13.699,- | CZK 80.999,- | HRK 22.999,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NCX D-LO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore M6100, 12-speed
Shift lever	Shimano Deore M6100, trigger switch
Sprocket	Shimano HG6100, 10-51 teeth
Chain	Shimano CN-M6100
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 180mm
Tyres	Schwalbe Johnny Watts, 60-584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	Shimano MT400
Rear wheel hub	Shimano MT401
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | SHIMANO

ORDER NUMBER

27.5"	46	44102146	winterwhite
27.5"	50	44102150	winterwhite
27.5"	54	44102154	winterwhite

Yucatan 10 Men

emerald matt

SPECIFICATIONS

EUR 2.799,- | CHF 2.999,- | PLN 12.899,- | CZK 75.599,- | HRK 21.399,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M4120, 10-speed
Shift lever	Shimano Deore M4100, trigger switch
Sprocket	Shimano CSM4100, 11-42 teeth
Chain	KMC e10S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Continental Contact Cruiser, 60x584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | SHIMANO

ORDER NUMBER

27.5"	48	44104148	emerald matt
27.5"	52	44104152	emerald matt
27.5"	56	44104156	emerald matt
27.5"	60	44104160	emerald matt

Yucatan 10 Women

emerald matt

SPECIFICATIONS

EUR 2.799,- | CHF 2.999,- | PLN 12.899,- | CZK 75.599,- | HRK 21.399,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M4120, 10-speed
Shift lever	Shimano Deore M4100, trigger switch
Sprocket	Shimano CSM4100, 11-42 teeth
Chain	KMC e10S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Continental Contact Cruiser, 60x584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | SHIMANO

ORDER NUMBER

27.5"	44	44106144	emerald matt
27.5"	48	44106148	emerald matt
27.5"	52	44106152	emerald matt

Yucatan 10 Monotube

emerald matt

SPECIFICATIONS

EUR 2.799,- | CHF 2.999,- | PLN 12.899,- | CZK 75.599,- | HRK 21.399,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	InTube 630Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Deore M4120, 10-speed
Shift lever	Shimano Deore M4100, trigger switch
Sprocket	Shimano CSM4100, 11-42 teeth
Chain	KMC e10S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Continental Contact Cruiser, 60x584, reflex
Rims	Schürmann Yak25, eyed, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 720mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Essenza
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

630Wh | YAMAHA | 27,5" | MRS | StVZO

ORDER NUMBER

27.5"	46	44108146	emerald matt
27.5"	50	44108150	emerald matt
27.5"	54	44108154	emerald matt

Yucatan 9 Men

Elektro Rad KAUFTIPP SEHR GUT 1/2020

black coffee

SPECIFICATIONS

EUR 2.599,- | CHF 2.899,- | PLN 11.799,- | CZK 70.199,- | HRK 19.899,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Acera T3000, 9-speed
Shift lever	Shimano Altus M2010, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 28" | StVZO

ORDER NUMBER

28"	48	44110148	black coffee
28"	52	44110152	black coffee
28"	56	44110156	black coffee
28"	60	44110160	black coffee

YUCATAN

Yucatan 9 Women

Elektro Rad KAUFTIPP SEHR GUT 1/2020

black coffee

SPECIFICATIONS

EUR 2.599,- | CHF 2.899,- | PLN 11.799,- | CZK 70.199,- | HRK 19.899,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Acera T3000, 9-speed
Shift lever	Shimano Altus M2010, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 28" | StVZO

ORDER NUMBER

28"	44	44112144	black coffee
28"	48	44112148	black coffee
28"	52	44112152	black coffee

YUCATAN

Yucatan 9 Monotube

Elektro Rad KAUFTIPP SEHR GUT 1/2020

black coffee

SPECIFICATIONS

EUR 2.599,- | CHF 2.899,- | PLN 11.799,- | CZK 70.199,- | HRK 19.899,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Acera T3000, 9-speed
Shift lever	Shimano Altus M2010, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC e9S
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	aluminium, angle ajustable, A-head, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | YAMAHA | 28" | StVZO

ORDER NUMBER

28"	46	44114146	black coffee
28"	50	44114150	black coffee
28"	54	44114154	black coffee

Yucatan 8 Men

artichoke matt

SPECIFICATIONS

EUR 2.299,- | CHF 2.599,- | PLN 10.499,- | CZK 62.199,- | HRK 17.599,-

Motor	Yamaha PW-TE System, 250W, 60Nm, 20km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 400Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Altus M310, 8-speed
Shift lever	Shimano Altus M315, rapidfire
Sprocket	SunRace CSM55, 11-34 teeth
Chain	KMC X8
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	VP J303PES
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh **YAMAHA** **28"** **StVZO**

ORDER NUMBER

28"	48	44116148	artichoke matt
28"	52	44116152	artichoke matt
28"	56	44116156	artichoke matt
28"	60	44116160	artichoke matt

Yucatan 8 Women

artichoke matt

SPECIFICATIONS

EUR 2.299,- | CHF 2.599,- | PLN 10.499,- | CZK 62.199,- | HRK 17.599,-

Motor	Yamaha PW-TE System, 250W, 60Nm, 20km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 400Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Altus M310, 8-speed
Shift lever	Shimano Altus M315, rapidfire
Sprocket	SunRace CSM55, 11-34 teeth
Chain	KMC X8
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	VP J303PES
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh **YAMAHA** **28"** **StVZO**

ORDER NUMBER

28"	44	44118144	artichoke matt
28"	48	44118148	artichoke matt
28"	52	44118152	artichoke matt

YUCATAN

Yucatan 8 Monotube

artichoke matt

SPECIFICATIONS

EUR 2.299,- | CHF 2.599,- | PLN 10.499,- | CZK 62.199,- | HRK 17.599,-

Motor	Yamaha PW-TE System, 250W, 60Nm, 20km/h
Display	Yamaha Side Switch
Battery	Yamaha InTube 400Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, quick-release 5 x 135mm, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 63mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	/ Shimano Altus M310, 8-speed
Shift lever	Shimano Altus M315, rapidfire
Sprocket	SunRace CSM55, 11-34 teeth
Chain	KMC X8
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	alu hub
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergoriser, oversize 640mm
Grips	XLC Comfort bo3
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	VP J303PES
Saddle	Selle Royal Wave
Seat post	patent, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR-GO
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

400Wh **YAMAHA** **28"** **StVZO**

ORDER NUMBER

28"	46	44120146	artichoke matt
28"	50	44120150	artichoke matt
28"	54	44120154	artichoke matt

YUCATAN

Yucatan R8f Monotube

darkblue

SPECIFICATIONS

EUR 3.199,- | CHF 3.499,- | PLN 14.399,- | CZK 86.399,- | HRK 24.299,-

Motor	Yamaha PW-TE System, 250W, 60Nm
Display	Yamaha Multi Switch
Battery	Yamaha InTube 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, Nut type axle, disc brake Post Mount
Fork	SR Suntour NEX E25-HLO Lockout, steel spring, Travel: 50mm, aluminium steerer tube 1 1/8" - 1 1/2" tapered
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	Gates sprocket, 24 teeth
Chain	Gates CarbonDrive
Brake lever	Shimano T445, aluminium
Brake front	Shimano MT400, aluminium, 180mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Ride Tour, 47-622, reflex
Rims	Ryde Zac421, double-walled rim, aluminium
Front wheel hub	aluminium hub
Rear wheel hub	Shimano Nexus
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	Herrmans Click Ergo - lock on grips
Stem	Alu, winkelverstellbar, Bar bore: 31.8mm
Headset	A-Head Tapered
Saddle	Selle Royal Viento
Seat post	patent suspension, 31.6mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	Herrmans H-Black MR4, 40 lux
Rear light	AXA Juno Ebike
Dynamo	via system battery
Carrier	Racktime RT-336, SnapIt
Fenders	SKS, chromoplastics
Stand	Ursus Mooi, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh **YAMAHA** **28"** **StVZO**

ORDER NUMBER

28"	46	44096146	darkblue
28"	50	44096150	darkblue
28"	54	44096154	darkblue

RADIUS

Des roues de 20 pouces pour rouler dans les grandes villes

20 pouces pour traverser la jungle urbaine. Parmi bien d'autres aspects, le manque d'espace est un effet secondaire de la croissance rapide des villes du monde entier. Et c'est dans ce contexte que les solutions intelligentes portent leurs fruits. Comme le RADIUS Winora avec son puissant moteur Yamaha. Le guidon se replie facilement à 90° et les pédales peuvent être rabattues. Le faible poids et la poignée de transport provenant de la connexion du tube supérieur et du tube de selle facilitent le transport. « Ce vélo est un kart », affirme la presse. Il est petit, agile, ludique, maniable et extrêmement pratique.

Ruedas de 20 pulgadas para el entorno de la gran ciudad

20 pulgadas para la selva urbana. Entre otros muchos aspectos, la falta de espacio es un efecto colateral de las ciudades de rápido crecimiento en todo el mundo. Aquí es donde las soluciones inteligentes muestran sus resultados. Como la Winora RADIUS con su potente motor Yamaha. El manillar puede plegarse fácilmente 90° y los pedales pueden plegarse hacia dentro. El bajo peso y el asa de transporte en la conexión del tubo superior y el tubo del sillín facilitan el transporte. "Esta bicicleta es un kart", dice la prensa. Pequeña, ágil, divertida, extremaWomente práctica.



RADIUS

Radius Tour Unisex

black /slate matt

SPECIFICATIONS

EUR 2.799,- | CHF 2.999,- | PLN 12.899,- | CZK 75.599,- | HRK 21.499,-

Motor	Yamaha PW-ST System, 250W, 70Nm, 25km/h
Display	Yamaha Side Switch
Battery	Yamaha Lithium Ion 500Wh
Charger	Yamaha quick charger 4A
Frame	aluminium 6061, Gravity Casting, hydroformed, Nut type axle, disc brake IS Mount, Travel: 0mm
Fork	Aluminum, steerer CroMo 1 1/8", quick release
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 16 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	Shimano MT400, aluminium
Brake front	Shimano MT400, aluminium, 160mm
Brake rear	Shimano MT400, aluminium, 160mm
Tyres	Schwalbe Big Ben, 55-406, reflex
Rims	Rodi FW Disc, eyed, double-walled rim, aluminium
Front wheel hub	Winora Evo disc, quick release axle, CL
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes, black
Handlebar	aluminium Ergoriser
Grips	XLC Endorfin lock on grips
Stem	by.schulz Speedlifter twist pro
Headset	VP Z104PE
Saddle	Selle Royal Arco
Seat post	450 mm, patent, 31.6mm, aluminium
Pedals	VP F65 Faltpedal
Headlight	Trelock Airflow, 70 lux
Rear light	Busch & Müller Xeltec, LED-rear light in the mudguard
Dynamo	via system battery
Carrier	StandWell system carrier, XLC Carrymore
Fenders	SKS, chromoplastics
Stand	aluminium, adjustable
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

500Wh | **YAMAHA** | **20”** | **StVZO**

ORDER NUMBER

20"	35	4524808035	black /slate matt

TREKKING

Les vélos Trekking pour les cyclistes les plus actifs

Les vélos Trekking sont destinés aux cyclistes actifs Design intemporel et classique Rapport performance/prix exceptionnel Haute qualité Voici les principales caractéristiques de nos vélos Trekking modernes. Mais ils présentent bien d'autres atouts. C'est pourquoi les vélos Trekking WINORA deviennent le choix idéal si vous êtes un cycliste actif. Si vous aimez pédalez vous-même, sans assistance.

TOUJOURS RESTER EN SÉCURITÉ

Un vélo Trekking vous permet de garder le cap même sous la pluie et dans la boue. Les vélos Trekking lisse la route et vous ouvrent la voie. Et ce, non seulement pour des randonnées sportives, mais aussi lors de tous vos trajets quotidiens. Un autre avantage du vélo trekking WINORA : son équipement complet de haute qualité, notamment ses freins à disque. Vous pouvez rouler en tout décontraction, quelle que soit la voie que vous empruntez.

Bicicletas de trekking para ciclistas activos

Bicicletas de trekking para ciclistas activos. Diseño clásico y atemporal. Excelente relación precio-rendimiento. Alta calidad. Estos atributos se aplican a nuestras modernas bicicletas de trekking. Y algunas otras características positivas. Por lo tanto, las bicicletas de trekking WINORA se convierten en la elección perfecta si eres un ciclista activo. Si te gusta pedalear por ti mismo y sin asistencia.

MANTÉN SIEMPRE LA SEGURIDAD EN EL RECORRIDO

Una bicicleta de trekking te mantiene en el camino, incluso si te encuentras con lluvia o barro. Las bicicletas de trekking suavizan las irregularidades del terreno para facilitarte el camino. Y no solo para viajes deportivos, sino también en todos tus recorridos cotidianos. Una ventaja adicional con la bicicleta de trekking WINORA: su equipamiento integral de alta calidad, por ejemplo con frenos de disco. Así te relajas, independientemente de dónde te lleve la carretera.



TREKKING

Domingo 30Disc Men

aktiv Rad fahren
SEHR GUT
5 Räder im Test:
5 sehr gut
9-10/2018

onyx black

SPECIFICATIONS

EUR 999,- | CHF 1.099,- | PLN 4.699,- | CZK 27.199,- | HRK 7.799,-

Frame	aluminium 6061, hydroformed
Fork	SR Suntour NEX DS-HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 11/8", quick release
Rear derailleur	/ Shimano Deore XT T8000, 30-speed
Shift lever	Shimano Deore T6000, rapidfire
Sprocket	Shimano HG500, 11-34 teeth
Chain	KMC X10
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Front wheel hub	Shimano hub dynamo 3D32
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 620mm
Grips	XLC Comfort bo3
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	VP Z104PE
Saddle	Selle Royal Lancia
Seat post	patent, 27.2mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	AXA Compactline 35 steady, stand light, 35 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano 3D32, 3W
Carrier	AtranVelo Tour, AVS
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170106
Weight	16.1kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	48	4078030948	onyx black
28"	52	4078030952	onyx black
28"	56	4078030956	onyx black
28"	60	4078030960	onyx black

TREKKING

Domingo 30Disc Women

aktiv Rad fahren
SEHR GUT
5 Räder im Test:
5 sehr gut
9-10/2018

onyx black

SPECIFICATIONS

EUR 999,- | CHF 1.099,- | PLN 4.699,- | CZK 27.199,- | HRK 7.799,-

Frame	aluminium 6061, hydroformed
Fork	SR Suntour NEX DS-HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 11/8", quick release
Rear derailleur	/ Shimano Deore XT T8000, 30-speed
Shift lever	Shimano Deore T6000, rapidfire
Sprocket	Shimano HG500, 11-34 teeth
Chain	KMC X10
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Front wheel hub	Shimano hub dynamo 3D32
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 620mm
Grips	XLC Comfort bo3
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	VP Z104PE
Saddle	Selle Royal Lancia
Seat post	patent, 27.2mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	AXA Compactline 35 steady, stand light, 35 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano 3D32, 3W
Carrier	AtranVelo Tour, AVS
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170106
Weight	16.1kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	44	4078130944	onyx black
28"	48	4078130948	onyx black
28"	52	4078130952	onyx black

TREKKING

Domingo 27Disc Men

black matt

SPECIFICATIONS

EUR 799,- | CHF 899,- | PLN 3.799,- | CZK 21.999,- | HRK 6.299,-

Frame	aluminium 6061, hydroformed
Fork	SR Suntour NEX DS-HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 11/8", quick release
Rear derailleur	/ Shimano Deore XT M771, 27-speed
Shift lever	Shimano Alivio M4000, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC X9
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Front wheel hub	Shimano hub dynamo 3D32
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 620mm
Grips	XLC Comfort bo3
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	VP Z104PE
Saddle	Selle Royal Lancia
Seat post	patent, 27.2mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	AXA Compactline 35, 35 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano 3D32, 3W
Carrier	AtranVelo Tour, AVS
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170106
Weight	16.7kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	48	4077227948	black matt
28"	52	4077227952	black matt
28"	56	4077227956	black matt
28"	60	4077227960	black matt

TREKKING

Domingo 27Disc Women

black matt

SPECIFICATIONS

EUR 799,- | CHF 899,- | PLN 3.799,- | CZK 21.999,- | HRK 6.299,-

Frame	aluminium 6061, hydroformed
Fork	SR Suntour NEX DS-HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 11/8", quick release
Rear derailleur	/ Shimano Deore XT M771, 27-speed
Shift lever	Shimano Alivio M4000, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC X9
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Front wheel hub	Shimano hub dynamo 3D32
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 620mm
Grips	XLC Comfort bo3
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	VP Z104PE
Saddle	Selle Royal Lancia
Seat post	patent, 27.2mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	AXA Compactline 35, 35 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano 3D32, 3W
Carrier	AtranVelo Tour, AVS
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170106
Weight	16.7kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	44	4077327944	black matt
28"	48	4077327948	black matt
28"	52	4077327952	black matt

TREKKING

Domingo 27Disc Monotube

black matt

SPECIFICATIONS

EUR 799,- | CHF 899,- | PLN 3.799,- | CZK 21.999,- | HRK 6.299,-

Frame	aluminium 6061, hydroformed
Fork	SR Suntour NEX DS-HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Deore XT M771, 27-speed
Shift lever	Shimano Alivio M4000, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC X9
Brake lever	Tektro T275, aluminium
Brake front	Tektro T275, aluminium, 180mm
Brake rear	Tektro T275, aluminium, 160mm
Tyres	Schwalbe Road Cruiser, 42-622, reflex
Rims	Rodi Black Rock 21, eyed, double-walled rim, aluminium
Front wheel hub	Shimano hub dynamo 3D32
Rear wheel hub	alu hub
Spokes	Stainless spokes, black
Handlebar	Ergobar, oversize 620mm
Grips	XLC Comfort bo3
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	VP Z104PE
Saddle	Selle Royal Lancia
Seat post	patent, 27.2mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	AXA Compactline 35, 35 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano 3D32, 3W
Carrier	AtranVelo Tour, AVS
Fenders	RPZ Evo, chromoplastics
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170106
Weight	16.7kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	46	4077927946	black matt
28"	50	4077927950	black matt
28"	54	4077927954	black matt

TREKKING

Domingo 24Disc Men

black /red transparent

SPECIFICATIONS

EUR 599,- | CHF 699,- | PLN 2.699,- | CZK 16.199,- | HRK 4.599,-

Frame	aluminium 6061
Fork	SR Suntour NEX, steel spring, Travel: 63mm, steel steerer tube 1 1/8", quick release
Rear derailleur	/ Shimano Acera M360, 24-speed
Shift lever	Shimano EF505, shift / brake lever combination
Sprocket	Shimano HG200, 12-32 teeth
Chain	KMC Z72
Brake lever	Shimano EF505, aluminium
Brake front	Shimano EF505, 160mm
Brake rear	Shimano EF505, 160mm
Tyres	XLC TourX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Rear wheel hub	Shimano TX505-8
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Comfort bo2, with wrist rest
Stem	aluminium, angle ajustable
Headset	CH-919
Saddle	Selle Royal Wave
Seat post	patent, 27.2mm, aluminium
Pedals	aluminium, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Alivio T4050, 1.5W
Carrier	AtranVelo City, AVS
Fenders	chromoplastics
Stand	Ursus Easy, adjustable
Hanger	XLC 2501170106
Weight	16.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	48	4074024948	black /red transparent
28"	52	4074024952	black /red transparent
28"	56	4074024956	black /red transparent
28"	60	4074024960	black /red transparent
28"	64	4074024964	black /red transparent

TREKKING

Domingo 24Disc Women

black /red transparent

SPECIFICATIONS

EUR 599,- | CHF 699,- | PLN 2.699,- | CZK 16.199,- | HRK 4.599,-

Frame	aluminium 6061
Fork	SR Suntour NEX, steel spring, Travel: 63mm, steel steerer tube 11/8", quick release
Rear derailleur	/ Shimano Acera M360, 24-speed
Shift lever	Shimano EF505, shift / brake lever combination
Sprocket	Shimano HG200, 12-32 teeth
Chain	KMC Z72
Brake lever	Shimano EF505, aluminium
Brake front	Shimano EF505, 160mm
Brake rear	Shimano EF505, 160mm
Tyres	XLC TourX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Rear wheel hub	Shimano TX505-8
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Comfort bo2, with wrist rest
Stem	aluminium, angle ajustable
Headset	CH-919
Saddle	Selle Royal Wave
Seat post	patent, 27.2mm, aluminium
Pedals	aluminium, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Alivio T4050, 1.5W
Carrier	AtranVelo City, AVS
Fenders	chromoplastics
Stand	Ursus Easy, adjustable
Hanger	XLC 2501170106
Weight	16.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" StVZO

ORDER NUMBER

28"	44	4074124944	black /red transparent
28"	48	4074124948	black /red transparent
28"	52	4074124952	black /red transparent
28"	56	4074124956	black /red transparent

TREKKING

Domingo 24Disc Monotube

black /red transparent

SPECIFICATIONS

EUR 599,- | CHF 699,- | PLN 2.699,- | CZK 16.199,- | HRK 4.599,-

Frame	aluminium 6061
Fork	SR Suntour NEX, steel spring, Travel: 63mm, steel steerer tube 11/8", quick release
Rear derailleur	/ Shimano Acera M360, 24-speed
Shift lever	Shimano EF505, shift / brake lever combination
Sprocket	Shimano HG200, 12-32 teeth
Chain	KMC Z72
Brake lever	Shimano EF505, aluminium
Brake front	Shimano EF505, 160mm
Brake rear	Shimano EF505, 160mm
Tyres	XLC TourX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Rear wheel hub	Shimano TX505-8
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Comfort bo2, with wrist rest
Stem	aluminium, angle ajustable
Headset	CH-919
Saddle	Selle Royal Wave
Seat post	patent, 27.2mm, aluminium
Pedals	aluminium, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Alivio T4050, 1.5W
Carrier	AtranVelo City, AVS
Fenders	chromoplastics
Stand	Ursus Easy, adjustable
Hanger	XLC 2501170106
Weight	16.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" StVZO

ORDER NUMBER

28"	46	4074324946	black /red transparent
28"	50	4074324950	black /red transparent
28"	54	4074324954	black /red transparent

TREKKING

Domingo 24 Men

olive /black matt

SPECIFICATIONS

EUR 499,- | CHF 549,- | PLN 2.299,- | CZK 13.499,- | HRK 3.849,-

Frame	aluminium 6061
Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano Acera M360, 24-speed
Shift lever	Shimano Tourney TX800, rapidfire
Sprocket	Shimano HG200, 12-32 teeth
Chain	KMC Z72
Brake lever	Shimano TX800, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	XLC TourX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano TX 500
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Comfort bo2, with wrist rest
Stem	aluminium, angle ajustable
Headset	CH-919
Saddle	Selle Royal Wave
Seat post	patent, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	AtranVelo City, AVS
Fenders	chromoplastics
Stand	Ursus Easy, adjustable
Hanger	XLC 2501170043
Weight	16.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	48	4071024948	olive /black matt
28"	52	4071024952	olive /black matt
28"	56	4071024956	olive /black matt
28"	60	4071024960	olive /black matt

TREKKING

Domingo 24 Women

olive /black matt

SPECIFICATIONS

EUR 499,- | CHF 549,- | PLN 2.299,- | CZK 13.499,- | HRK 3.849,-

Frame	aluminium 6061
Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano Acera M360, 24-speed
Shift lever	Shimano Tourney TX800, rapidfire
Sprocket	Shimano HG200, 12-32 teeth
Chain	KMC Z72
Brake lever	Shimano TX800, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	XLC TourX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano TX 500
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Comfort bo2, with wrist rest
Stem	aluminium, angle ajustable
Headset	CH-919
Saddle	Selle Royal Wave
Seat post	patent, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	AtranVelo City, AVS
Fenders	chromoplastics
Stand	Ursus Easy, adjustable
Hanger	XLC 2501170043
Weight	16.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	44	4071124944	olive /black matt
28"	48	4071124948	olive /black matt
28"	52	4071124952	olive /black matt

TREKKING

Domingo 24 Monotube

olive /black matt

SPECIFICATIONS

EUR 499,- | CHF 549,- | PLN 2.299,- | CZK 13.499,- | HRK 3.849,-

Frame	aluminium 6061
Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano Acera M360, 24-speed
Shift lever	Shimano Tourney TX800, rapidfire
Sprocket	Shimano HG200, 12-32 teeth
Chain	KMC Z72
Brake lever	Shimano TX800, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	XLC TourX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano TX 500
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Comfort bo2, with wrist rest
Stem	aluminium, angle ajustable
Headset	CH-919
Saddle	Selle Royal Wave
Seat post	patent, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	AtranVelo City, AVS
Fenders	chromoplastics
Stand	Ursus Easy, adjustable
Hanger	XLC 2501170043
Weight	16.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	46	4071324946	olive /black matt
28"	50	4071324950	olive /black matt

TREKKING

Domingo 21 Men

Bike&Travel 2-2020 PREIS-KNÜLLER

black /blue matt

SPECIFICATIONS

EUR 449,- | CHF 499,- | PLN 2.049,- | CZK 12.199,- | HRK 3.499,-

Frame	aluminium 6061
Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano TX800, 21-speed
Shift lever	Shimano Tourney EF40, rapidfire
Sprocket	Shimano TZ500, 14-28 teeth
Chain	KMC Z51
Brake lever	Shimano EF40
Brake front	V-Brake
Brake rear	V-Brake
Tyres	XLC TourX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Comfort bo2
Stem	aluminium, inner clamping, Bar bore: 25.4mm
Headset	CH-919
Saddle	Selle Royal Wave
Seat post	patent, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	StandWell CS051
Fenders	chromoplastics
Stand	Ursus Easy, adjustable
Hanger	XLC 2501170043
Weight	16.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	48	4070221948	black /blue matt
28"	52	4070221952	black /blue matt
28"	56	4070221956	black /blue matt
28"	60	4070221960	black /blue matt

TREKKING

Domingo 21 Women

black /blue matt

SPECIFICATIONS

EUR 449,- | CHF 499,- | PLN 2.049,- | CZK 12.199,- | HRK 3.499,-

Frame	aluminium 6061
Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano TX800, 21-speed
Shift lever	Shimano Tourney EF40, rapidfire
Sprocket	Shimano TZ500, 14-28 teeth
Chain	KMC Z51
Brake lever	Shimano EF40
Brake front	V-Brake
Brake rear	V-Brake
Tyres	XLC TourX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Comfort bo2
Stem	aluminium, inner clamping, Bar bore: 25.4mm
Headset	CH-919
Saddle	Selle Royal Wave
Seat post	patent, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	StandWell CS051
Fenders	chromoplastics
Stand	Ursus Easy, adjustable
Hanger	XLC 2501170043
Weight	16.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

COLOR VARIANT

tele grey /black

ORDER NUMBER

28"	44	4070521944	black /blue matt
28"	48	4070521948	black /blue matt
28"	52	4070521952	black /blue matt
28"	44	4070821944	tele grey /black
28"	48	4070821948	tele grey /black
28"	52	4070821952	tele grey /black

TREKKING

Domingo 21 Monotube

black /blue matt

SPECIFICATIONS

EUR 449,- | CHF 499,- | PLN 2.049,- | CZK 12.199,- | HRK 3.499,-

Frame	aluminium 6061
Fork	SR Suntour CR 7V, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano TX800, 21-speed
Shift lever	Shimano Tourney EF40, rapidfire
Sprocket	Shimano TZ500, 14-28 teeth
Chain	KMC Z51
Brake lever	Shimano EF40
Brake front	V-Brake
Brake rear	V-Brake
Tyres	XLC TourX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Comfort bo2
Stem	aluminium, inner clamping, Bar bore: 25.4mm
Headset	CH-919
Saddle	Selle Royal Wave
Seat post	patent, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	StandWell CS051
Fenders	chromoplastics
Stand	Ursus Easy, adjustable
Hanger	XLC 2501170043
Weight	16.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

COLOR VARIANT

tele grey /black

ORDER NUMBER

28"	46	4070721946	black /blue matt
28"	50	4070721950	black /blue matt
28"	46	4070921946	tele grey /black
28"	50	4070921950	tele grey /black

TREKKING

Vatoa 27Disc Men

sagegrey matt

SPECIFICATIONS

EUR 599,- | CHF 699,- | PLN 2.799,- | CZK 16.199,- | HRK 4.599,-

Frame	aluminium 6061, multiformed
Fork	SR Suntour NEX HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 11/8", quick release
Rear derailleur	/ Shimano Alivio T4000, 27-speed
Shift lever	Shimano EF505, shift / brake lever combination
Sprocket	Shimano HG200, 11-36 teeth
Chain	KMC X9
Brake lever	Shimano EF505, aluminium
Brake front	Shimano EF505, 160mm
Brake rear	Shimano EF505, 160mm
Tyres	XLC MountainX, 42-622
Rims	X-Pert X6, eyed, double-walled rim, aluminium
Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Rear wheel hub	Shimano TX505
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Sport bo2 screw grips
Stem	aluminium, A-head
Headset	CH 9280 Ahead
Saddle	Winora Sport
Seat post	patent, 27.2mm, aluminium
Pedals	VP VPE-993 plastic, mit Reflektor
Headlight	AXA Compactline 20, 20 lux
Rear light	Herrmans H-Trace Mini, LED
Dynamo	Shimano Alivio T4050, 1.5W
Carrier	upgradable
Fenders	SKS, chromoplastics
Stand	aluminium, adjustable
Weight	15.7kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" **StVZO**

ORDER NUMBER

28"	48	40012148	sagegrey matt
28"	52	40012152	sagegrey matt
28"	56	40012156	sagegrey matt
28"	60	40012160	sagegrey matt

TREKKING

Vatoa 27Disc Women

sagegrey matt

SPECIFICATIONS

EUR 599,- | CHF 699,- | PLN 2.799,- | CZK 16.199,- | HRK 4.599,-

Frame	aluminium 6061, multiformed
Fork	SR Suntour NEX HLO Lockout, steel spring, Travel: 63mm, steel steerer tube 11/8", quick release
Rear derailleur	/ Shimano Alivio T4000, 27-speed
Shift lever	Shimano EF505, shift / brake lever combination
Sprocket	Shimano HG200, 11-36 teeth
Chain	KMC X9
Brake lever	Shimano EF505, aluminium
Brake front	Shimano EF505, 160mm
Brake rear	Shimano EF505, 160mm
Tyres	XLC MountainX, 42-622
Rims	X-Pert X6, eyed, double-walled rim, aluminium
Front wheel hub	Shimano Alivio hub-dynamo T4050-1D
Rear wheel hub	Shimano TX505
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Sport bo2 screw grips
Stem	aluminium, A-head
Headset	CH 9280 Ahead
Saddle	Winora Sport
Seat post	patent, 27.2mm, aluminium
Pedals	VP VPE-993 plastic, mit Reflektor
Headlight	AXA Compactline 20, 20 lux
Rear light	Herrmans H-Trace Mini, LED
Dynamo	Shimano Alivio T4050, 1.5W
Carrier	upgradable
Fenders	SKS, chromoplastics
Stand	aluminium, adjustable
Weight	15.7kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" **StVZO**

ORDER NUMBER

28"	44	40014144	sagegrey matt
28"	48	40014148	sagegrey matt
28"	52	40014152	sagegrey matt

TREKKING

Vatoa 21 Men

darkblue

SPECIFICATIONS

EUR 449,- | CHF 499,- | PLN 2.049,- | CZK 12.199,- | HRK 3.499,-

Frame	aluminium 6061, multiformed
Fork	SR Suntour M3010, steel spring, Travel: 63mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano TX800, 21-speed
Shift lever	Shimano Tourney EF41, rapidfire
Sprocket	Shimano TZ500, 14-28 teeth
Chain	KMC Z51
Brake lever	Shimano EF41
Brake front	V-Brake
Brake rear	V-Brake
Tyres	XLC MountainX, 42-622
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Sport bo2 screw grips
Stem	aluminium, A-head
Headset	CH 9280 Ahead
Saddle	Winora Sport
Seat post	patent, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	Herrmans H-Trace Mini, LED
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	upgradable
Fenders	SKS, chromoplastics
Stand	aluminium, adjustable
Weight	14.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" **StVZO**

ORDER NUMBER

28"	48	40008148	darkblue
28"	52	40008152	darkblue
28"	56	40008156	darkblue
28"	60	40008160	darkblue

TREKKING

Vatoa 21 Women

darkblue

SPECIFICATIONS

EUR 449,- | CHF 499,- | PLN 2.049,- | CZK 12.199,- | HRK 3.499,-

Frame	aluminium 6061, multiformed
Fork	SR Suntour M3010, steel spring, Travel: 63mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano TX800, 21-speed
Shift lever	Shimano Tourney EF41, rapidfire
Sprocket	Shimano TZ500, 14-28 teeth
Chain	KMC Z51
Brake lever	Shimano EF41
Brake front	V-Brake
Brake rear	V-Brake
Tyres	XLC MountainX, 42-622
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	Ergoriser
Grips	XLC Sport bo2 screw grips
Stem	aluminium, A-head
Headset	CH 9280 Ahead
Saddle	Winora Sport
Seat post	patent, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	Herrmans H-Trace Mini, LED
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	upgradable
Fenders	SKS, chromoplastics
Stand	aluminium, adjustable
Weight	14.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" **StVZO**

ORDER NUMBER

28"	44	40010144	darkblue
28"	48	40010148	darkblue
28"	52	40010152	darkblue

CITY

Le compagnon de vos aventures du quotidien

Vélo de ville ou vélo de tous les jours - peu importe le nom, une chose s'applique à tous les vélos de ce genre. Avec eux, les embouteillages ou les métros et trains de banlieue surchargés ne sont plus qu'un mauvais souvenir. En effet, avec les vélos de ville vous contournez la circulation au lieu d'y être coincé. Sur le chemin du travail, pour rendre visite à des amis, pour faire des courses ou pour toutes les balades quotidiennes, le vélo de ville est le compagnon idéal pour tous les trajets, courts ou longs. Et ils sont aussi élégants que fonctionnels.

PARFAITEMENT ÉQUIPÉ POUR LA VILLE

L'important sur un vélo de ville : avoir le bon équipement. Cela englobe un éclairage adapté à la route et des composants faciles à entretenir. Et bien sûr, un antivol, un casque et une protection contre le vent et la pluie. Installez-vous et lancez-vous, partez à la découverte de votre quartier avec le vélo de ville. Pour plus de plaisir dans vos aventures du quotidien. Vous roulez, de jour comme de nuit, pour le travail ou le loisir.

Compañera para la aventura de la vida diaria

Bicicleta de ciudad o bicicleta para todos los días: no importa el nombre, es algo que se aplica a todas las bicicletas de este tipo. Con ellas, los atascos de tráfico o los metros y trenes suburbanos atestados ya no son un problema. Porque con las bicicletas de ciudad te paseas alrededor del arroyo, en vez de cruzarlo. De camino al trabajo, a visitar a amigos, para dar un paseo o en todos los recorridos diarios, las bicicletas de ciudad son la compañía perfecta para todos tus desplazamientos, largos o cortos. Y son tan elegantes como funcionales.

PERFECTAMENTE EQUIPADO EN LA CIUDAD

Importante para cada bicicleta de ciudad: el equipamiento adecuado. Esto incluye una iluminación adecuada para la carretera y componentes fáciles de cuidar. Y, por supuesto, una cerradura segura, casco y protección contra el viento y la lluvia. Solo tienes que subir al sillín, salir y conquistar el barrio con la bicicleta de la ciudad. Para más diversión en la aventura de la vida cotidiana: día o noche, trabajo o diversión.

CITY

Talparo Men

olive matt

SPECIFICATIONS

EUR 849,- | CHF 999,- | PLN 3.899,- | CZK 22.999,- | HRK 6.499,-

Frame	aluminium 6061, hydroformed
Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Rear derailleur	/ Shimano Deore M591, 27-speed
Shift lever	Shimano Alivio M4000, rapidfire
Sprocket	Shimano HG200, 11-34 teeth
Chain	KMC X9
Brake lever	Tektro M285, aluminium
Brake front	Tektro M285, 180mm
Brake rear	Tektro M285, 160mm
Tyres	Schwalbe Little Big Ben, 40-622, reflex
Rims	Rodi Airline Corsa, double-walled rim, aluminium
Front wheel hub	Shimano hub dynamo 3D32
Rear wheel hub	alu hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	Dura Cork
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	VP Z104PE
Saddle	Selle Royal Milo
Seat post	patent, 27.2mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	AXA Blueline, stand light, 30 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano 3D32, 3W
Carrier	AtranVelo Urban, AVS
Fenders	Metasol Urban, aluminium
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170106
Weight	14.7kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	46	4057027846	olive matt
28"	51	4057027851	olive matt
28"	56	4057027856	olive matt
28"	61	4057027861	olive matt

CITY

Aruba Men

iron grey matt

SPECIFICATIONS

EUR 799,- | CHF 899,- | PLN 3.599,- | CZK 21.599,- | HRK 6.299,-

Frame	aluminium 6061, hydroformed
Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 21 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	aluminium lever, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	Schwalbe Little Big Ben, 40-622, reflex
Rims	Rodi Airline 18x2, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano Nexus
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	Dura Cork
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	VP Z104PE
Saddle	Winora Urban Retro
Seat post	patent, 27.2mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	AXA Blueline, 30 lux
Rear light	Herrmans H-Trace Mini, LED
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	upgradable
Fenders	Metasol Urban, aluminium
Stand	Ursus Mooi, adjustable
Weight	13.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	46	4055008846	iron grey matt
28"	51	4055008851	iron grey matt
28"	56	4055008856	iron grey matt
28"	61	4055008861	iron grey matt

CITY

Aruba Women

iron grey matt

SPECIFICATIONS

EUR 799,- | CHF 899,- | PLN 3.599,- | CZK 21.599,- | HRK 6.299,-

Frame	aluminium 6061, hydroformed
Fork	aluminium fork 6061, aluminium steerer tube 11/8"
Rear derailleur	Shimano Nexus, 8-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 21 teeth
Chain	KMC Z1 Narrow EPT
Brake lever	aluminium lever, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	Schwalbe Little Big Ben, 40-622, reflex
Rims	Rodi Airline 18x2, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano Nexus
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	Dura Cork
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	VP Z104PE
Saddle	Winora Urban Retro
Seat post	patent, 27.2mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	AXA Blueline, 30 lux
Rear light	Herrmans H-Trace Mini, LED
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	upgradable
Fenders	Metasol Urban, aluminium
Stand	Ursus Mooi, adjustable
Weight	13.8kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	41	4055108841	iron grey matt
28"	46	4055108846	iron grey matt
28"	51	4055108851	iron grey matt

CITY

Flitzer Men

onyx black matt

SPECIFICATIONS

EUR 699,- | CHF 799,- | PLN 3.149,- | CZK 18.899,- | HRK 5.399,-

Frame	aluminium 6061
Fork	aluminium fork 6061, aluminium steerer tube 11/8"
Rear derailleur	/ Shimano Acera M360, 24-speed
Shift lever	Shimano EF500, shift / brake lever combination
Sprocket	Shimano HG31, 11-32 teeth
Chain	KMC X8
Brake lever	Shimano EF500, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	Schwalbe Little Big Ben, 40-622, reflex
Rims	Rodi Airline 18x2, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano TX 800, cassette hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	Dura Cork
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	VP Z104PE
Saddle	Winora Urban Retro
Seat post	patent, 27.2mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	AXA Blueline, 30 lux
Rear light	Herrmans H-Trace Mini, LED
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	upgradable
Fenders	Metasol Urban, aluminium
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170106
Weight	13.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	46	4050024846	onyx black matt
28"	51	4050024851	onyx black matt
28"	56	4050024856	onyx black matt
28"	61	4050024861	onyx black matt

Flitzer Women

onyx black matt

SPECIFICATIONS

EUR 699,- | CHF 799,- | PLN 3.149,- | CZK 18.899,- | HRK 5.399,-

Frame	aluminium 6061
Fork	aluminium fork 6061, aluminium steerer tube 1 1/8"
Rear derailleur	/ Shimano Acera M360, 24-speed
Shift lever	Shimano EF500, shift / brake lever combination
Sprocket	Shimano HG31, 11-32 teeth
Chain	KMC X8
Brake lever	Shimano EF500, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	Schwalbe Little Big Ben, 40-622, reflex
Rims	Rodi Airline 18x2, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano TX 800, cassette hub
Spokes	Sapim Leader, black
Handlebar	Ergobar, oversize 640mm
Grips	Dura Cork
Stem	Alu, A-head, Bar bore: 31.8mm
Headset	VP Z104PE
Saddle	Winora Urban Retro
Seat post	patent, 27.2mm, aluminium
Pedals	VP E461 aluminium, mit Reflektor
Headlight	AXA Blueline, 30 lux
Rear light	Herrmans H-Trace Mini, LED
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	upgradable
Fenders	Metasol Urban, aluminium
Stand	Ursus Mooi, adjustable
Hanger	XLC 2501170106
Weight	13.5kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	41	4050124841	onyx black matt
28"	46	4050124846	onyx black matt
28"	51	4050124851	onyx black matt

CITY

Holiday N7 Men

offwhite

SPECIFICATIONS

EUR 549,- | CHF 599,- | PLN 2.499,- | CZK 14.899,- | HRK 4.199,-

Frame	aluminium 6061
Fork	SR Suntour CR 7V-A adjustable, steel spring, Travel: 40mm, steel steerer tube 11/8"
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z30
Brake lever	aluminium lever, aluminium
Brake front	V-Brake
Brake rear	V-Brake, coaster brake
Tyres	XLC StreetX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	city handlebar
Grips	XLC Comfort bo2, with wrist rest
Stem	aluminium, angle ajustable
Headset	CH-919
Saddle	Selle Bassano Volare City XL
Seat post	suspension straight, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	chromoplastics
Stand	aluminium, adjustable
Weight	17.2kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	48	40000148	offwhite
28"	52	40000152	offwhite
28"	56	40000156	offwhite
28"	60	40000160	offwhite

CITY

Holiday N7 Women

offwhite

SPECIFICATIONS

EUR 549,- | CHF 599,- | PLN 2.499,- | CZK 14.899,- | HRK 4.199,-

Frame	aluminium 6061
Fork	SR Suntour CR 7V-A adjustable, steel spring, Travel: 40mm, steel steerer tube 11/8"
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z30
Brake lever	aluminium lever, aluminium
Brake front	V-Brake
Brake rear	V-Brake, coaster brake
Tyres	XLC StreetX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	city handlebar
Grips	XLC Comfort bo2, with wrist rest
Stem	aluminium, angle ajustable
Headset	CH-919
Saddle	Selle Bassano Volare City XL
Seat post	suspension straight, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	chromoplastics
Stand	aluminium, adjustable
Weight	17.2kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

28" | StVZO

ORDER NUMBER

28"	48	40002148	offwhite
28"	52	40002152	offwhite

CITY

Holiday N7 Wave

28" 26"

offwhite

SPECIFICATIONS

EUR 549,- | CHF 599,- | PLN 2.499,- | CZK 14.899,- | HRK 4.199,-

Frame	aluminium 6061
Fork	SR Suntour CR 7V-A adjustable, steel spring, Travel: 40mm, steel steerer tube 11/8"
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z30
Brake lever	aluminium lever, aluminium
Brake front	V-Brake
Brake rear	V-Brake, coaster brake
Tyres	XLC StreetX, 42-622, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano Nexus
Spokes	Stainless spokes
Handlebar	city handlebar
Grips	XLC Comfort bo2, with wrist rest
Stem	aluminium, angle ajustable
Headset	CH-919
Saddle	Selle Bassano Volare City XL
Seat post	suspension straight, 27.2mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	chromoplastics
Stand	aluminium, adjustable
Weight	17.2kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

26+28" **StVZO**

ORDER NUMBER

26"	43	40004143	offwhite
28"	43	40006143	offwhite
28"	48	40006148	offwhite
28"	53	40006153	offwhite
28"	57	40006157	offwhite

CITY

Hollywood N7 Monotube

28" 26"

black matt

SPECIFICATIONS

EUR 499,- | CHF 549,- | PLN 2.299,- | CZK 13.499,- | HRK 3.849,-

Frame	aluminium 6061
Fork	Zoom Enjoy, steel spring, Travel: 30mm
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC Z30
Brake lever	aluminium lever, aluminium
Brake front	V-Brake
Brake rear	V-Brake, coaster brake
Tyres	XLC StreetX, 42-622, reflex / XLC StreetX, 47-559, reflex
Rims	X-Pert X3, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano Nexus
Spokes	black, black
Handlebar	city handlebar
Grips	ergonomic grips
Stem	aluminium, inner clamping, Bar bore: 25.4mm
Headset	VP MH308E
Saddle	Selle Royal Star
Seat post	straight, 30.4mm, aluminium
Pedals	VP 872 plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	chromoplastics
Stand	aluminium, adjustable
Weight	16.9kg
Permitted total weight	130kg
Bicycle type	City, Trekking, Cross

26+28" **StVZO**

COLOR VARIANT

white

ORDER NUMBER

26"	42	4062307942	black matt
28"	45	4062507945	black matt
28"	50	4062507950	black matt
28"	55	4062507955	black matt
26"	42	4062707942	white
28"	45	4062907945	white
28"	50	4062907950	white
28"	55	4062907955	white

ENFANTS/ADS

Découvrir le monde avec un vélo Enfants ou Ados

Les vélos pour enfants et ados font partie de l'ADN de WINORA. Après tout, le fondateur de l'entreprise, Engelbert Wiener, a fabriqué de ses mains les tout premiers vélos pour enfants du monde, en 1921. Aujourd'hui, nos vélos pour enfants et pour ados perpétuent cette grande tradition. Ils permettent de se déplacer, d'être mobile et indépendant. Un vélo pour enfants ou ados WINORA est toujours là quand il faut ou quand il est temps de découvrir le monde.

QUALITÉ ET SÉCURITÉ AVANT TOUT

Qu'il s'agisse d'un vélo pour fille ou pour garçon, chez WINORA le crédo est : la sécurité d'abord ! Nos vélos pour enfants et adolescents convainquent par leur design, leur technologie de pointe et leur qualité. Parce que les enfants et les ados prennent du plaisir sur leur vélo quand ce dernier est pratique et sûr. Ils ont besoin d'un compagnon sur lequel ils peuvent compter à tout moment et en tout lieu. Pour se rendre en toute sécurité à l'école ou pour aller s'acheter une glace. Pour une grande liberté sur deux roues.

NIÑOS/JÓVENES

Descubre el mundo con una bicicleta para niños o jóvenes

Las bicicletas para niños y las bicicletas para jóvenes forman parte del ADN de WINORA. Después de todo, el fundador de la empresa Engelbert Wiener construyó a mano las primeras bicicletas del mundo para niños en 1921. Hoy en día, nuestras bicicletas para niños y jóvenes siguen conservando esta gran tradición. Permiten que los niños se muevan y sean independientes. Una bicicleta para niños o jóvenes de WINORA siempre está ahí cuando es necesario o cuando llega la hora de hacer una ruta para descubrir cosas nuevas.

CALIDAD Y SEGURIDAD EN PRIMER LUGAR

Para una bicicleta de niña o niño de WINORA lo más importante es esto: ¡la seguridad es lo primero! Nuestras bicicletas para niños y jóvenes convencen por un buen diseño, son de alta tecnología y de la mayor calidad. Porque los niños y los jóvenes se divierten sin preocupaciones en su bicicleta cuando es práctica y segura. Necesitan que la bicicleta para niños o jóvenes sea una compañera en la que puedan confiar en cualquier momento y en cualquier lugar. Para ir seguros al colegio, o para ir a comprar un helado. Para sentir una gran libertad sobre dos ruedas.



Rage 26 ATB

platinum blue

SPECIFICATIONS

EUR 399,- | CHF 449,- | PLN 1.999,- | CZK 11.499,- | HRK 3.199,-

Frame	aluminium 6061
Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano Tourney TY300, 21-speed
Shift lever	Shimano Tourney EF41, rapidfire
Sprocket	Shimano TZ31, 14-34 teeth
Chain	KMC Z51
Brake lever	Shimano EF41
Brake front	V-Brake
Brake rear	V-Brake
Tyres	CST C-1437, 53-559, reflex
Rims	XLC FW, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	A-Head 1 1/8"
Saddle	Winora ATB
Seat post	patent, 27.2mm, aluminium
Pedals	plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	Trelock LS 633, LED-rear light, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	upgradable
Fenders	plastic
Stand	aluminium, adjustable
Hanger	XLC 2501170005
Weight	14.5kg
Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26" | StVZO

COLOR VARIANT

black matt

ORDER NUMBER

26"	35	4044121935	platinum blue
26"	40	4044121940	platinum blue
26"	45	4044121945	platinum blue
26"	50	4044121950	platinum blue
26"	35	4044021935	black matt
26"	40	4044021940	black matt
26"	45	4044021945	black matt
26"	50	4044021950	black matt

Rage 24 ATB

olive matt

SPECIFICATIONS

EUR 379,- | CHF 429,- | PLN 1.899,- | CZK 10.999,- | HRK 2.999,-

Frame	aluminium 6061
Fork	Unicrown, steel steerer tube 11/8"
Rear derailleur	/ Shimano Tourney TY300, 21-speed
Shift lever	Shimano RS36, twist shifter
Sprocket	Shimano TZ500, 14-28 teeth
Chain	KMC Z51
Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	CST C-1382N, 53-507, reflex
Rims	XLC FW, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	A-Head 1 1/8"
Saddle	Winora Kid M
Seat post	patent, 27.2mm, aluminium
Pedals	plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	Trelock LS 633, LED-rear light, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	upgradable
Fenders	plastic
Stand	aluminium, adjustable
Hanger	XLC 2501170005
Weight	12.8kg
Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24" | StVZO

COLOR VARIANT

blue

ORDER NUMBER

24"	32	4023021932	olive matt
24"	32	4023221932	blue

Rage 20 ATB

red

SPECIFICATIONS

EUR 349,- | CHF 399,- | PLN 1.799,- | CZK 9.499,- | HRK 2.799,-

Frame	aluminium 6061
Fork	Unicrown, steel steerer tube 11/8"
Rear derailleur	/ Shimano TZ500, 6-speed
Shift lever	Shimano RS36, twist shifter
Sprocket	Shimano TZ500, 14-28 teeth
Chain	KMC Z51
Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	CST C-1382, 50-406, reflex
Rims	XLC FW, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	A-Head 1 1/8"
Saddle	Winora Kid M
Seat post	patent, 27.2mm, aluminium
Pedals	plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	Trelock LS 633, LED-rear light, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	upgradable
Fenders	plastic
Stand	aluminium, adjustable
Hanger	XLC 2501170005
Weight	10.9kg
Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20" **StVZO**

COLOR VARIANT

onyx black matt

ORDER NUMBER

20"	27	4013006927	red
20"	27	4013206927	onyx black matt

Rage 16 ATB

lime

SPECIFICATIONS

EUR 249,- | CHF 279,- | PLN 1.199,- | CZK 6.899,- | HRK 1.999,-

Frame	aluminium 6061
Fork	Unicrown, steel steerer tube 11/8"
Sprocket	pinion, 18 teeth
Chain	KMC S1
Brake lever	kids brake lever, adjustable grip width, adjustable grip width
Brake front	V-Brake
Brake rear	-, coaster brake
Tyres	CST C-1382N, 57-305
Rims	XLC Strong, aluminium
Front wheel hub	SF HB29
Rear wheel hub	KT coaster brake hub
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	CH 281
Saddle	Winora Kid S
Seat post	integrated in the saddle, 27.2mm
Pedals	kids' pedal plastic, non-slip
Fenders	plastic
Weight	8.5kg
Permitted total weight	45kg
Bicycle type	bikes for kids and teenagers

16"

COLOR VARIANT

purple

ORDER NUMBER

16"	21	4003201921	lime
16"	21	4003401921	purple

Rage 12 ATB

cyan matt

SPECIFICATIONS

EUR 179,- | CHF 199,- | PLN 899,- | CZK 4.999,- | HRK 1.449,-

Frame	aluminium 6061
Fork	Unicrown, steel steerer tube 11/8"
Brake rear	-
Tyres	CY H506, 47-203
Rims	XLC CY, aluminium
Front wheel hub	SF HB29
Rear wheel hub	SF HB29
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	CH 281
Saddle	Winora Kid S
Seat post	integrated in the saddle, 27.2mm
Weight	4.4kg
Permitted total weight	30kg
Bicycle type	training bike for kids

12"

COLOR VARIANT

hot pink

ORDER NUMBER

12"	15	4001200915	cyan matt
12"	15	4001400915	hot pink

Dash 26 21-Gang ATB

anthracite

SPECIFICATIONS

EUR 429,- | CHF 479,- | PLN 2.099,- | CZK 11.999,- | HRK 3.399,-

Frame	aluminium 6061
Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano Tourney TY300, 21-speed
Shift lever	Shimano Tourney EF41, rapidfire
Sprocket	Shimano TZ31, 14-34 teeth
Chain	KMC Z51
Brake lever	Shimano EF41
Brake front	V-Brake
Brake rear	V-Brake
Tyres	CST C-1437, 53-559, reflex
Rims	XLC FW, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	A-Head 1 1/8"
Saddle	Winora ATB
Seat post	patent, 27.2mm, aluminium
Pedals	plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	Eurofender Tempo, chromoplastics
Stand	aluminium, adjustable
Hanger	XLC 2501170005
Weight	15.9kg
Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26" StVZO

COLOR VARIANT

darkblue

ORDER NUMBER

26"	35	4043021935	anthracite
26"	40	4043021940	anthracite
26"	45	4043021945	anthracite
26"	50	4043021950	anthracite
26"	35	4043121935	darkblue
26"	40	4043121940	darkblue
26"	45	4043121945	darkblue
26"	50	4043121950	darkblue

Dash 24 21-Gang ATB

white

SPECIFICATIONS

EUR 399,- | CHF 449,- | PLN 1.999,- | CZK 11.499,- | HRK 3.199,-

Frame	aluminium 6061
Fork	SR Suntour M3010, steel spring, Travel: 50mm, steel steerer tube 1 1/8"
Rear derailleur	/ Shimano Tourney TY300, 21-speed
Shift lever	Shimano RS36, twist shifter
Sprocket	Shimano TZ31, 14-34 teeth
Chain	KMC Z51
Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	CST C-1382N, 53-507, reflex
Rims	XLC FW, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	A-Head 1 1/8"
Saddle	Winora Kid M
Seat post	patent, 27.2mm, aluminium
Pedals	plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	Eurofender Tempo, chromoplastics
Stand	aluminium, adjustable
Hanger	XLC 2501170005
Weight	15kg
Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24" | StVZO

COLOR VARIANT

lime matt

ORDER NUMBER

24"	32	4022221932	white
24"	32	4022021932	lime matt

Dash 20 3-Gang ATB

ocean blue matt

SPECIFICATIONS

EUR 399,- | CHF 449,- | PLN 1.999,- | CZK 11.499,- | HRK 3.199,-

Frame	aluminium 6061
Fork	SR Suntour M3010, steel spring, Travel: 40mm, steel steerer tube 1 1/8"
Rear derailleur	Shimano Nexus, 3-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC S1
Brake lever	aluminium lever, adjustable grip width, adjustable grip width, aluminium
Brake front	V-Brake
Brake rear	V-Brake, coaster brake
Tyres	CST C-1382, 50-406, reflex
Rims	XLC FW, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano Nexus
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	A-Head 1 1/8"
Saddle	Winora Kid M
Seat post	patent, 27.2mm, aluminium
Pedals	plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	Eurofender Tempo, chromoplastics
Stand	aluminium, adjustable
Weight	13.4kg
Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20" | StVZO

COLOR VARIANT

white

ORDER NUMBER

20"	27	4012003927	ocean blue matt
20"	27	4012203927	white

Chica 26 21-Gang ATB

onyx black matt

SPECIFICATIONS

EUR 399,- | CHF 449,- | PLN 1.999,- | CZK 11.499,- | HRK 3.199,-

Frame	aluminium 6061
Fork	Unicrown, steel steerer tube 11/8"
Rear derailleur	/ Shimano Tourney TY300, 21-speed
Shift lever	Shimano Tourney EF41, rapidfire
Sprocket	Shimano TZ31, 14-34 teeth
Chain	KMC Z51
Brake lever	Shimano EF41
Brake front	V-Brake
Brake rear	V-Brake
Tyres	CST C-1437, 53-559, reflex
Rims	XLC FW, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	A-Head 1 1/8"
Saddle	Winora ATB
Seat post	patent, 27.2mm, aluminium
Pedals	plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	Eurofender Tempo, chromoplastics
Stand	aluminium, adjustable
Hanger	XLC 2501170005
Weight	15kg
Permitted total weight	130kg
Bicycle type	bikes for kids and teenagers

26" **StVZO**

ORDER NUMBER

26"	38	4042721938	onyx black matt
26"	44	4042721944	onyx black matt

Chica 24 21-Gang ATB

pearl white

SPECIFICATIONS

EUR 399,- | CHF 449,- | PLN 1.999,- | CZK 11.499,- | HRK 3.199,-

Frame	aluminium 6061
Fork	Unicrown, steel steerer tube 11/8"
Rear derailleur	/ Shimano Tourney TY300, 21-speed
Shift lever	Shimano RS36, twist shifter
Sprocket	Shimano TZ31, 14-34 teeth
Chain	KMC Z51
Brake lever	aluminium lever, aluminium
Brake front	V-Brake
Brake rear	V-Brake
Tyres	CST C-1382N, 53-507, reflex
Rims	XLC FW, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	aluminium hub, sealed
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	A-Head 1 1/8"
Saddle	Winora Kid M
Seat post	patent, 27.2mm, aluminium
Pedals	plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	Eurofender Tempo, chromoplastics
Stand	aluminium, adjustable
Hanger	XLC 2501170005
Weight	14.2kg
Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24" **StVZO**

ORDER NUMBER

24"	32	4021521932	pearl white

Chica 24 7-Gang ATB

cyan matt

SPECIFICATIONS

EUR 499,- | CHF 549,- | PLN 2.299,- | CZK 13.499,- | HRK 3.849,-

Frame	aluminium 6061
Fork	Unicrown, steel steerer tube 11/8"
Rear derailleur	Shimano Nexus, 7-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC S1
Brake lever	aluminium lever, aluminium
Brake front	V-Brake
Brake rear	V-Brake, coaster brake
Tyres	CST C-1382N, 53-507, reflex
Rims	XLC FW, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano Nexus
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	A-Head 1 1/8"
Saddle	Winora Kid M
Seat post	patent, 27.2mm, aluminium
Pedals	plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	Eurofender Tempo, chromoplastics
Stand	aluminium, adjustable
Weight	14.7kg
Permitted total weight	80kg
Bicycle type	bikes for kids and teenagers

24" | StVZO

ORDER NUMBER

24"	32	4021507932	cyan matt

Chica 20 3-Gang ATB

neon pink

SPECIFICATIONS

EUR 399,- | CHF 449,- | PLN 1.999,- | CZK 11.499,- | HRK 3.199,-

Frame	aluminium 6061
Fork	Unicrown, steel steerer tube 11/8"
Rear derailleur	Shimano Nexus, 3-speed /
Shift lever	Shimano Nexus, twist shifter
Sprocket	pinion, 19 teeth
Chain	KMC S1
Brake lever	aluminium lever, aluminium
Brake front	V-Brake
Brake rear	V-Brake, coaster brake
Tyres	CST C-1382, 50-406, reflex
Rims	XLC FW, double-walled rim, aluminium
Front wheel hub	Shimano Nexus hub dynamo C3000
Rear wheel hub	Shimano Nexus
Spokes	black, black
Handlebar	ATB handlebar
Grips	kid's grips
Stem	aluminium, A-head
Headset	A-Head 1 1/8"
Saddle	Winora Kid M
Seat post	patent, 27.2mm, aluminium
Pedals	plastic, non-slip
Headlight	AXA Compactline 20, 20 lux
Rear light	AXA Blueline Steady, stand light
Dynamo	Shimano Nexus C3000, 1.5W
Carrier	with spring clamp
Fenders	Eurofender Tempo, chromoplastics
Stand	aluminium, adjustable
Weight	12.5kg
Permitted total weight	60kg
Bicycle type	bikes for kids and teenagers

20" | StVZO

ORDER NUMBER

20"	27	4011703927	neon pink

CATÉGORIES DE VÉHICULES
Categories of vehicles

Les véhicules de catégorie 0 sont généralement des vélos enfants ludiques 12" et des vélos enfants de 12" et 16".
Los vehículos de la categoría 0 suelen ser bicicletas de 12" para niños y bicicletas para niños de 12" y 16".

Les véhicules de catégorie 1 sont des véhicules conçus pour des infrastructures purement urbaines (surfaces bitumées).
Los vehículos de la categoría 1 son vehículos diseñados para infraestructuras puramente urbanas (condiciones de carretera).

Les cycles de catégorie 2 sont généralement les vélos, les vélos électriques et les vélos électriques grande vitesse de style ville, de trekking, cross-trekking ou vélos cargo, ainsi que les vélos junior 24" et les vélos enfants 20".
La categoría 2 incluye generalmente bicicletas, pedelecs y S-pedelecs al estilo de las bicicletas de ciudad, trekking, cross-trekking o de carga, así como las bicicletas junior de 24" y las bicicletas para niños de 20".

Les véhicules de catégorie 3 sont généralement des vélos électriques et des vélos électriques rapides qui sont des vélos de montagne destinés au cross-country, au marathon et à la randonnée, ainsi que tous les vélos de gravel, cyclo-cross et All-track.
Los vehículos de la categoría 3 son generalmente bicicletas, pedelecs y S-pedelecs que son bicicletas de montaña destinadas a XC, maratón y touring, así como las bicicletas de gravel, ciclocross y All Track.

Les cycles de catégorie 4 sont généralement les vélos, les vélos électriques et les vélos électriques grande vitesse de style VTT pour une utilisation all-mountain et trail.
La categoría 4 incluye generalmente bicicletas, pedelecs y S-pedelecs al estilo de las bicicletas de montaña diseñadas para uso all-mountain.

Les véhicules de catégorie 5 sont généralement des vélos électriques, des vélos électriques grande vitesse qui sont des VTT destinés à l'enduro, au freeride et à la descente/au dirtjump.
Los vehículos de la categoría 5 suelen ser bicicletas, pedelecs y S-pedelecs que son bicicletas de montaña destinadas a enduro, freeride y descenso/dirtjump.

Les véhicules de catégorie 6 sont généralement des vélos électriques grande vitesse de type vélo de course ou vélo fitness (vélo urbain)/course contre la montre/triathlon.
Los vehículos de la categoría 6 son generalmente bicicletas, pedelecs y S-pedelecs que son bicicletas de competición o fitness (bicicleta urbana)/contrarreloj/triatlón.

Veuillez lire le mode d'emploi.
Lea las instrucciones de funcionamiento.

GÉOMÉTRIES

GEOMETRÍAS

TABLEAUX DE DONNÉES
TABLAS DE DATOS

CADRE HOMMES / CUADRO PARA HOMBRE



CADRE FEMMES / CUADRO PARA MUJER



CADRE MONOTUBE / CUADRO MONOTUBO



CADRE WAVE / CUADRO ONDULADO



Légende / Leyenda

- **A** LONGUEUR DU TUBE DE SELLE / TAILLE DE CADRE / LONGITUD DE TUBO DE SILLÍN / TAMAÑO DE CUADRO
- **B** ANGLE DU TUBE DE SELLE / ÁNGULO DE TUBO DE SILLÍN
- **C** LONGUEUR DU TUBE DE DIRECTION / LONGITUD DE TUBO DE DIRECCIÓN
- **D** ANGLE DU TUBE DE DIRECTION / ÁNGULO DE TUBO DE DIRECCIÓN
- **E** LONGUEUR DU TUBE SUPÉRIEUR HORIZONTAL / LONGITUD HORIZONTAL DE TUBO SUPERIOR
- **F** LONGUEUR DE BASE / LONGITUD DE VAINAS
- **G** EMPATTEMENT / DISTANCIA ENTRE EJES
- **H** ENJAMBEMENT / LONGITUD SOBRANTE DE ACCESO

ENFANTS ET ADOS
NIÑOS Y JÓVENES

CADRE ATB / CUADRO ATB



CADRE Y / CUADRO Y



CADRE MONOTUBE / CUADRO MONOTUBO





E-BIKES
eBIKES

SINUS SERIE

		Sinus iX10/iX12									
		Herren 27,5"				Damen 27,5"			Einrohr 27,5"		
Taille roues		27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"
Taille cadre		48	52	56	60	44	48	52	46	50	54
Longueur tube de selle	A	480	520	560	600	440	480	520	460	500	540
Angle tube de selle (°)	B	73	73	73	73	73	73	73	73.5	73.5	73.5
Longueur tube de direction (mm)	C	155	155	160	175	155	160	160	180	185	195
Angle de direction (°)	D	70.5	70.5	70.5	70.5	69	70.5	70.5	70.5	70.5	70.5
Longueur tube supérieur (mm)	E	585	600	615	630	580	585	600	610	620	630
Longueur des bases (mm)	F	475	475	475	475	475	475	475	480	480	480
Empattement (mm)	G	1113.5	1128.5	1143.7	1159.4	1125.6	1113.7	1128.7	1151	1161.2	1171.8

SINUS SERIE

		Sinus iR8/iR8f							Sinus iR8/iR8f			Sinus iN8/iN8f/ iN7/iN7f			Sinus iN8/iN7
		Herren 28"				Damen 28"			Einrohr 28"			Einrohr 28"			Einrohr 26"
Taille roues		28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	26"
Taille cadre		48	52	56	60	44	48	52	46	50	54	46	50	54	46
Longueur tube de selle	A	480	520	560	600	440	480	520	460	500	540	460	500	540	460
Angle tube de selle (°)	B	73	73	73	73	73	73	73	75	75	75	75	75	75	75
Longueur tube de direction (mm)	C	155	150	160	175	155	160	160	180	185	195	180	185	195	180
Angle de direction (°)	D	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70	70	70	70	70	70	70
Longueur tube supérieur (mm)	E	585	600	615	630	560	585	600	610	620	630	610	620	630	610
Longueur des bases (mm)	F	475	475	475	475	475	475	475	498	498	498	490	490	490	490
Empattement (mm)	G	1091.9	1106.7	1122.2	1137.8	1066.9	1092.2	1107.2	1150.9	1161.4	1172.3	1142.9	1153.3	1164.2	1142.9
Enjambement (cm)	H	77	80	83	86	68	66	66	44	44	66	44	44	44	44

SINUS SERIE

		Sinus R8f/R8/9							Sinus R8f/R8/ R380/N5f/N5/9		
		Herren 27,5"				Damen 27,5"			Einrohr 27,5"		
Taille roues		27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"
Taille cadre		48	52	56	60	44	48	52	46	50	54
Longueur tube de selle	A	480	520	560	600	440	480	520	460	500	540
Angle tube de selle (°)	B	73	73	73	73	73	73	73	73	73	73
Longueur tube de direction (mm)	C	155	155	160	175	155	160	160	190	190	195
Angle de direction (°)	D	70.5	70.5	70.5	70.5	69	70.5	70.5	70	70	70
Longueur tube supérieur (mm)	E	605	615	625	635	605	610	620	632	642	652
Longueur des bases (mm)	F	475	475	475	475	475	475	475	475	475	475
Empattement (mm)	G	1133.5	1143.5	1153.7	1164.4	1150.6	1138.7	1148.7	1168.1	1178.1	1188.4

E-BIKES
eBIKES

TRIA

		Tria 8/9/N7/N8	Tria 8/9/10											
		Einrohr 26"	Herren 28"				Damen 28"						Einrohr 28"		
Taille roues		26"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"
Taille cadre		46	48	52	56	60	44	48	52	44	48	52	46	50	54
Longueur tube de selle	A	460	480	520	560	600	440	480	520	440	480	520	460	500	540
Angle tube de selle (°)	B	73	73	73	73	73	73	73	73	73	73	73	73	73	73
Longueur tube de direction (mm)	C	175	135	145	160	175	135	145	160	135	145	160	180	185	195
Angle de direction (°)	D	70	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70	70	70
Longueur tube supérieur (mm)	E	624	585	600	615	630	560	585	600	560	585	600	633	645	658
Longueur des bases (mm)	F	472	475	475	475	475	475	475	475	475	475	475	490	490	490
Empattement (mm)	G	1160.9	1112	1127.5	1143.1	1158.8	1087	1112.5	1128.1	1087	1112.5	1128.1	1183	1195.3	1208.8
Enjambement (cm)	H	40	77	78.5	81	85	64	64	64	64	64	64	41	41	41

TRIA

		Tria 10	Tria N7/N8/N7f/N8f			Tria N8f
		Einrohr 28"	Einrohr 28"			Einrohr 28"
Taille roues		28"	28"	28"	28"	28"
Taille cadre		56	46	50	54	46
Longueur tube de selle	A	560	460	500	540	460
Angle tube de selle (°)	B	73	73	73	73	73
Longueur tube de direction (mm)	C	175	180	185	195	175
Angle de direction (°)	D	70	70	70	70	70
Longueur tube supérieur (mm)	E	615	633	645	658	624
Longueur des bases (mm)	F	475	499	499	499	472
Empattement (mm)	G	1143.8	1192.1	1204.3	1217.9	1160.9
Enjambement (cm)	H	64	41	41	41	40

YAKUN

		Yakun Tour			
		Unisex 27,5"			
Taille roues		27.5"	27.5"	27.5"	27.5"
Taille cadre		43	48	53	58
Longueur tube de selle	A	430	480	530	580
Angle tube de selle (°)	B	72	72	72	72
Longueur tube de direction (mm)	C	140	150	160	170
Angle de direction (°)	D	70.5	71	71	71
Longueur tube supérieur (mm)	E	570	590	610	650
Longueur des bases (mm)	F	440	440	440	440
Empattement (mm)	G	1088.8	1103.3	1123.5	1163.7
Enjambement (cm)	H	71	75.5	81	84

E-BIKES
eBIKES

YUCATAN

		Yucatan R8f			Yucatan 9/8									
		Einrohr 28"			Herren 28"				Damen 28"			Einrohr 28"		
Taille roues		28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"
Taille cadre		46	50	54	48	52	56	60	44	48	52	46	50	54
Longueur tube de selle	A	460	500	540	480	520	560	600	440	480	520	460	500	540
Angle tube de selle (°)	B	75	75	75	73	73	73	73	73	73	73	75	73	75
Longueur tube de direction (mm)	C	180	185	195	150	150	160	175	155	160	160	180	185	195
Angle de direction (°)	D	70	70	70	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70	70	70
Longueur tube supérieur (mm)	E	610	620	630	585	600	615	630	560	585	600	610	620	630
Longueur des bases (mm)	F	500	500	500	475	475	475	475	475	475	475	490	480	490
Empattement (mm)	G	1153	1163.4	1174.3	1091.7	1106.7	1122.2	1137.8	1066.9	1092.2	1107.2	1142.9	1151.4	1164.2
Enjambement (cm)	H	43	43	43	77	80	83	86	68	66	66	43	41	43

YUCATAN

		Yucatan 10/12/12 Pro									
		Herren 27,5"				Damen 27,5"			Einrohr 27,5"		
Taille roues		27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"	27.5"
Taille cadre		48	52	56	60	44	48	52	46	50	54
Longueur tube de selle	A	480	520	560	600	440	480	520	460	500	540
Angle tube de selle (°)	B	70	70	70	70	70	70	70	70	70	70
Longueur tube de direction (mm)	C	150	155	160	175	155	160	160	155	170	190
Angle de direction (°)	D	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70.5
Longueur tube supérieur (mm)	E	595	610	625	640	590	600	615	620	640	650
Longueur des bases (mm)	F	475	475	475	475	475	475	475	475	475	475
Empattement (mm)	G	1123.2	1138.5	1153.7	1169.4	1142.5	1140.9	1143.7	1152.6	1173.8	1185.4

RADIUS

		Radius Tour
		Unisex
Taille roues		20"
Taille cadre		35
Longueur tube de selle	A	350
Angle tube de selle (°)	B	69
Longueur tube de direction (mm)	C	220
Angle de direction (°)	D	71
Longueur tube supérieur (mm)	E	600
Longueur des bases (mm)	F	410
Empattement (mm)	G	1049.2
Enjambement (cm)	H	59

BIKES
BIKES

TREKKING

		Domingo 27Disc/30Disc							Domingo 27Disc			Domingo 21/24/24Disc			
		Herren 28"				Damen 28"			Einrohr 28"			Herren 28"			
Taille roues		28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"	28"
Taille cadre		48	52	56	60	44	48	52	46	50	54	48	52	56	60
Longueur tube de selle	A	480	520	560	600	440	480	520	460	500	540	480	520	560	600
Angle tube de selle (°)	B	73	73	73	73	73	73	73	70	70	70	73	73	73	73
Longueur tube de direction (mm)	C	135	145	160	175	135	145	160	175	185	195	135	145	160	175
Angle de direction (°)	D	70.5	70.5	70.5	70.5	70.5	70.5	70.5	70	70	70	70.5	70.5	70.5	70.5
Longueur tube supérieur (mm)	E	585	600	615	645	560	575	585	610	620	630	585	600	615	630
Longueur des bases (mm)	F	450	450	450	450	450	450	450	460	460	460	450	450	450	450
Empattement (mm)	G	1041.2	1056.6	1072.3	1103	1016.2	1031.6	1042.3	1070	1080	1090	1086.8	1102.2	1117.9	1133.6
Enjambement (cm)	H	77	78.5	81	85	57	57	58	41	41	41	77	80	82	86.5

TREKKING

		Domingo 21, 24, 24 Disc		Domingo 21/24/24Disc		
		Einrohr 28"		Damen 28"		
Taille roues		28"	28"	28"	28"	28"
Taille cadre		46	50	44	48	52
Longueur tube de selle	A	460	500	440	480	520
Angle tube de selle (°)	B	70	70	72.5	72.5	72.5
Longueur tube de direction (mm)	C	180	180	135	145	160
Angle de direction (°)	D	70	70	70.5	70.5	70.5
Longueur tube supérieur (mm)	E	625	635	560	575	590
Longueur des bases (mm)	F	460	460	450	450	450
Empattement (mm)	G	1097.3	1107.3	1056	1071.4	1086.9
Enjambement (cm)	H	41	41	59.5	60	60.5

TREKKING

		Vatoa 27Disc/21						
		Herren 28"				Damen 28"		
Taille roues		28"	28"	28"	28"	28"	28"	28"
Taille cadre		48	52	56	60	44	48	52
Longueur tube de selle	A	480	520	560	600	440	480	520
Angle tube de selle (°)	B	73	73	73	73	72.5	72.5	72.5
Longueur tube de direction (mm)	C	135	145	160	175	135	145	160
Angle de direction (°)	D	70.5	70.5	70.5	70.5	70.5	70.5	70.5
Longueur tube supérieur (mm)	E	585	600	615	630	560	575	590
Longueur des bases (mm)	F	450	450	450	450	450	450	450
Empattement (mm)	G	1086.8	1102.2	1117.9	1133.6	1056	1071.4	1086.9
Enjambement (cm)	H	77	80	82	86.5	59.5	60	60.5

BIKES
BIKES

CITY

Holiday N7

		Herren				Damen 28"		Einrohr 26"	Einrohr 28"			
Taille roues		28"	28"	28"	28"	28"	28"	26"	28"	28"	28"	28"
Taille cadre		48	52	56	60	48	52	43	43	48	53	57
Longueur tube de selle	A	480	520	560	600	480	520	430	430	480	530	570
Angle tube de selle (°)	B	73	73	73	73	72.5	72.5	73	73	73	73	73
Longueur tube de direction (mm)	C	135	145	160	175	145	160	170	170	170	170	170
Angle de direction (°)	D	70.5	70.5	70.5	70.5	70.5	70.5	70	70	70	70	70
Longueur tube supérieur (mm)	E	585	600	615	630	575	590	605	610	616	622	628
Longueur des bases (mm)	F	450	450	450	450	450	450	450	470	470	470	470
Empattement (mm)	G	1086.8	1102.2	1117.9	1133.6	1071.4	1086.9	1111.9	1131.7	1137.7	1143.7	1151.8
Enjambement (cm)	H	77	80	82	86.5	60.5	61	36.5	36.5	36.5	36.5	36.5

CITY

Hollywood N7

		Einrohr 26"	Einrohr 28"		
Taille roues		26"	28"	28"	28"
Taille cadre		42	45	50	55
Longueur tube de selle	A	420	450	500	550
Angle tube de selle (°)	B	72.5	72.5	72.5	72.5
Longueur tube de direction (mm)	C	170	170	170	170
Angle de direction (°)	D	70.5	70.5	70.5	70.5
Longueur tube supérieur (mm)	E	580	600	615	630
Longueur des bases (mm)	F	440	460	460	460
Empattement (mm)	G	1086.7	1102.8	1117.8	1132.8
Enjambement (cm)	H	37.5	39	39	39

CITY

Talparo, Flitzer, Aruba

		Herren				Damen		
Taille roues		28"	28"	28"	28"	28"	28"	28"
Taille cadre		46	51	56	61	41	46	51
Longueur tube de selle	A	460	510	560	610	410	460	510
Angle tube de selle (°)	B	73	73	73	73	73	73	73
Longueur tube de direction (mm)	C	130	160	180	210	130	130	145
Angle de direction (°)	D	69	70	70	70	70	70	70
Longueur tube supérieur (mm)	E	560	575	590	605	558	565	580
Longueur des bases (mm)	F	450	450	450	450	450	450	450
Empattement (mm)	G	1019.5	1033.8	1049.9	1066.5	1015.1	1022.1	1037.9
Enjambement (cm)	H	75.5	77	81	85	58	58	58

BIKES
BIKES

Kinder & Jugend

KIDS & YOUTH

RAGE / DASH

		Kinder & Jugend							
Taille roues		12"	16"	20"	24"	26"	26"	26"	26"
Taille cadre		15	21	27	32	35	40	45	50
Longueur tube de selle	A	150	210	270	320	350	400	450	500
Angle tube de selle (°)	B	67	73	72	72	72	72	72	72
Longueur tube de direction (mm)	C	80	100	110	110	120	120	130	140
Angle de direction (°)	D	72	70	70	70	70	70	70	70
Longueur tube supérieur (mm)	E	305	360	457	510	535	550	570	595
Longueur des bases (mm)	F	250	300	361	400	435	435	435	435
Empattement (mm)	G	585.3	702	869.3	961.3	1021.7	1036.7	1057.1	1082.4
Enjambement (cm)	H			49	59	63	67	71	75

Chica 20

		Kinder & Jugend			
Taille roues		20"	24"	26"	26"
Taille cadre		27	32	38	44
Longueur tube de selle	A	270	320	380	440
Angle tube de selle (°)	B	72	72	72	72
Longueur tube de direction (mm)	C	130	130	140	150
Angle de direction (°)	D	70	70	70	70
Longueur tube supérieur (mm)	E	440	499	564	574
Longueur des bases (mm)	F	361	400	440	440
Empattement (mm)	G	853.1	951.1	1056.4	1066.8
Enjambement (cm)	H	38	42	44	44

Winora Collection 2021

COLECCIÓN 2021

SUDADERA WINORA LIGHT

SWEATSHIRT WINORA LIGHT

rouge
roja

PVC/PVR				
59.90 EUR	65.90 CHF	270,- PLN	1.600,- CZK	450,- HRK

N° art. / Ref.	Taille / Talla
9505231160	S
9505231161	M
9505231162	L
9505231163	XL
9505231164	XXL
9505231165	XXXL

CAMISETA WINORA ROJA

TEE-SHIRT WINORA ROUGE

rouge
roja

PVC/PVR				
19.90 EUR	21.90 CHF	90,- PLN	550,- CZK	145,- HRK

N° art. / Ref.	Taille / Talla
9505231191	XS
9505231192	S
9505231193	M
9505231194	L
9505231195	XL
9505231196	XXL
9505231197	XXXL

MANGA LARGA WINORA NAT

TEE-SHIRT MANCHES LONGUES WINORA NAT

rouge / gris
roja / gris

PVC/PVR				
39.90 EUR	43.90 CHF	180,- PLN	1.100,- CZK	300,- HRK

N° art. / Ref.	Taille / Talla
9505231114	XS
9505231115	S
9505231116	M
9505231117	L
9505231118	XL
9505231119	XXL

FUNCTIONAL SHIRT WINORA

TEE-SHIRT FONCTIONNEL WINORA

rouge / noir
roja / negro

PVC/PVR				
39.90 EUR	43.90 CHF	180,- PLN	1.100,- CZK	300,- HRK

N° art. / Ref.	Taille / Talla
9505231184	XS
9505231185	S
9505231186	M
9505231187	L
9505231188	XL
9505231189	XXL

PANTALÓN CORTO WINORA MOVE

WINORA SHORTS MOVE

gris unisex
gris unisex

PVC/PVR				
69.90 EUR	76.90 CHF	320,- PLN	1.900,- CZK	520,- HRK

N° art. / Ref.	Taille / Talla
9505231010	S
9505231011	M
9505231012	L
9505231013	XL
9505231014	XXL

CALCETINES WINORA JOY

CHAUSSETTES WINORA JOY

rouge / noir
roja / negra

PVC/PVR				
9.95 EUR	10.90 CHF	45,- PLN	270,- CZK	75,- HRK

N° art. / Ref.	Taille / Talla
9505250189	S/M
9505250190	L/XL

CHAQUETA POLAR WINORA KEVIN

VESTE POLAIRE WINORA KEVIN

gris
gris

PVC/PVR				
59.90 EUR	65.90 CHF	270,- PLN	1600,- CZK	450,- HRK

N° art. / Ref.	Taille / Talla
9505231140	XS
9505231141	S
9505231142	M
9505231143	L
9505231144	XL
9505231145	XXL

CALCETINES WINORA COLOR

CHAUSSETTES WINORA COLOR

noir / motifs
negro / color

PVC/PVR				
12.90 EUR	14.90 CHF	60,- PLN	350,- CZK	100,- HRK

N° art. / Ref.	Taille / Talla
9505250205	S/M
9505250206	L/XL

CAP WINORA LIFE

gris
gris

PVC/PVR				
15.90 EUR	17.90 CHF	75,- PLN	450,- CZK	120,- HRK

N° art. / Ref.	Taille / Talla
9505250138	one Size

Sous réserve de modifications. Illustrations similaires. PDSF/PVC = prix de vente conseillé. *Sujeto a cambios. Similar a la ilustración. PVR = Precio de venta. recomendado.*

IMPRESSION

Toutes les déclarations faites par WINORA-STAIGER GmbH concernant les nombres, tailles, poids, couleurs, y compris les délais de livraison et/ou autres spécifications ont été rédigées avec la plus grande attention. WINORA-STAIGER GmbH ne garantit pas, pour autant, l'absence d'inexactitudes. Les erreurs évidentes ou les fautes dans le catalogue ne lient pas l'entreprise WINORA-STAIGER GmbH.

Tous les prix sont des prix de détail recommandés, TVA comprise.

FOTOS
Frank Pieth, Ingo Peters, Volker Martin

MERCI À
Tous les employés de WINORA-STAIGER GmbH - à chacun d'entre vous dans notre entreprise unique qui a fait partie de ce long et parfois difficile processus de développement de nos produits que nous présentons aujourd'hui avec fierté.

WINORA-STAIGER GmbH est membre d'ACCELL GROUP.

© WINORA-STAIGER GmbH, Sennfeld, Allemagne 2020

Nous ne sommes pas responsables des erreurs, des modifications ou des fautes d'impression. Les images peuvent ne pas représenter l'original. Pour plus d'informations et connaître notre actualité, rendez-vous sur www.winora.com.

Dans certaines circonstances, tous les produits présentés dans ce catalogue peuvent ne pas être disponibles dans toutes les régions. Veuillez contacter votre service commercial pour plus d'informations.

PIE DE IMPRENTA

Todas las afirmaciones de WINORA-STAIGER GmbH con respecto a números, tamaños, pesos, colores incluyendo tiempos de entrega y/u otras especificaciones se hacen con cuidado. WINORA-STAIGER GmbH no garantiza que no haya desviaciones. Los errores o errores obvios en el catálogo no son vinculantes para WINORA-STAIGER GmbH.

Todos los precios son precios de venta al público recomendados con IVA incluido.

FOTOS
Frank Pieth, Ingo Peters, Volker Martin

GRACIAS A
Todos los empleados de WINORA-STAIGER: a cada uno de los que forman parte de esta empresa única y que han participado en este largo y, en ocasiones, difícil proceso de desarrollo de nuestros productos que ahora presentamos con orgullo.

WINORA-STAIGER GmbH es un miembro del GRUPO ACCELL.

© WINORA-STAIGER GmbH, Sennfeld, Alemania 2020

No nos hacemos responsables de los errores, cambios o erratas. Las imágenes podrían no representar el original. Para obtener información más detallada y otras noticias, visite nuestro sitio web en www.winora.com.

En determinadas circunstancias, no todos los productos que figuran en este catálogo pueden estar disponibles en todas las regiones. Póngase en contacto con su departamento de ventas para más información.

THE PREMIER CYCLE GROUP
ACCELL GROUP

WINORA GROUP
Winora-Staiger GmbH
E. Wiener Bike Parts GmbH

Max-Planck-Straße 4-8 › 97526 Sennfeld › Allemagne
+49 9721 6501-0 › info@winora-group.de › winora-group.de